

Scopus

EXPORT DATE: 12 February 2009

Pavani, G.S., Waldman, H.

Co-scheduling in Lambda Grid Systems by means of Ant Colony Optimization

(2009) Future Generation Computer Systems, 25 (3), pp. 257-265.

<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-55949101084&partnerID=40>

DOCUMENT TYPE: Article

SOURCE: Scopus

Das, G., Tucker, R.S., Leckie, C., Hinton, K.

Multiple-input single-output FIFO optical buffers with controllable fractional delay lines

(2008) Optics Express, 16 (26), pp. 21849-21864.

<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-58149236832&partnerID=40>

DOCUMENT TYPE: Article

SOURCE: Scopus

Maier, M., Reisslein, M.

Trends in optical switching techniques: A short survey

(2008) IEEE Network, 22 (6), pp. 42-47.

<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-57449086521&partnerID=40>

DOCUMENT TYPE: Article

SOURCE: Scopus

Huang, Q., Zhong, W.-D.

Traffic performance evaluation of an optical packet switch with multicast operation

(2008) IEEE Communications Letters, 12 (12), pp. 894-896.

<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-58149506217&partnerID=40>

DOCUMENT TYPE: Article

SOURCE: Scopus

Huang, H., He, H., Jin, Y., Huang, H., Wu, J.

Data segments aggregation performance in next generation avionics systems

(2008) Guangxue Xuebao/Acta Optica Sinica, 28 (SUPPL. 2), pp. 253-257.

<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-58249129538&partnerID=40>

DOCUMENT TYPE: Article

SOURCE: Scopus

Joindot, M., Gosselin, S.

Optical fiber transport systems and networks: fundamentals and prospects

(2008) Comptes Rendus Physique, 9 (9-10), pp. 914-934. Cited 1 time.

<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-58549112574&partnerID=40>

DOCUMENT TYPE: Short Survey

SOURCE: Scopus

Guo, W., Liang, Z., Sun, Z., Xiao, S., Jin, Y., Sun, W., Hu, W.  
Task scheduling considering fault probability for distributed computing applications over an optical network  
(2008) *Journal of Optical Networking*, 7 (11), pp. 947-957.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-55749111727&partnerID=40>  
DOCUMENT TYPE: Article  
SOURCE: Scopus

He, J., Brandt-Pearce, M., Subramaniam, S.  
Optimal RWA for static traffic in transmission-impaired wavelength-routed networks  
(2008) *IEEE Communications Letters*, 12 (9), pp. 693-695.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-52649150345&partnerID=40>  
DOCUMENT TYPE: Article  
SOURCE: Scopus

Finochietto, J.M., Neri, F., Wajda, K., Watza, R., Domzal, J., Nord, M., Zouganeli, E.  
Towards optical packet switched MANs: Design issues and tradeoffs  
(2008) *Optical Switching and Networking*, 5 (4), pp. 253-267.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-51649103254&partnerID=40>  
DOCUMENT TYPE: Article  
SOURCE: Scopus

Rosberg, Z., Ostry, D.  
Fractional wavelength OCS based on the golden ratio  
(2008) *Proceedings of 2008 10th Anniversary International Conference on Transparent Optical Networks, ICTON*, 1, art. no. 4598359, pp. 16-20.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-52149106020&partnerID=40>  
DOCUMENT TYPE: Conference Paper  
SOURCE: Scopus

Guerreiro, M., Pavan, C., Barradas, A.L., Pinto, A.N., Medeiros, M.C.R.  
Path selection strategy for consumer grid over OBS networks  
(2008) *Proceedings of 2008 10th Anniversary International Conference on Transparent Optical Networks, ICTON*, 3, art. no. 4598674, pp. 138-141.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-52149110308&partnerID=40>  
DOCUMENT TYPE: Conference Paper  
SOURCE: Scopus

Veiga-Gontán, J., Pavón-Mariño, P., Izal, M., Morato, D., García-Haro, J.  
Performance evaluation of slotted OPS switching fabrics under self-similar traffic  
(2008) *ONDM 2008 - 12th Conference on Optical Network Design and Modelling*, art. no. 4578421, .  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-51849122883&partnerID=40>  
DOCUMENT TYPE: Conference Paper  
SOURCE: Scopus

Rodelgo-Lacruz, M., López-Bravo, C., González-Castaño, F.J.  
Guaranteeing packet order in load balanced distributed schedulers for  
WASPNET optical packet switches  
(2008) ONDM 2008 - 12th Conference on Optical Network Design and  
Modelling, art. no. 4578391, .  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-51849160386&partnerID=40>  
DOCUMENT TYPE: Conference Paper  
SOURCE: Scopus

Liu, X., Wei, W., Qiao, C., Wang, T., Hu, W., Guo, W., Wu, M.-Y.  
Task scheduling and lightpath establishment in optical grids  
(2008) Proceedings - IEEE INFOCOM, art. no. 4509856, pp. 81-85.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-51349095237&partnerID=40>  
DOCUMENT TYPE: Conference Paper  
SOURCE: Scopus

Eramo, V., Listanti, M., Tiberio, R.  
Performance evaluation of QoS-aware optical packet switches  
(2008) IEEE International Conference on Communications, art. no.  
4534033, pp. 5315-5320.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-51249111598&partnerID=40>  
DOCUMENT TYPE: Conference Paper  
SOURCE: Scopus

Sun, Z., Guo, W., Jin, Y., Sun, W., Hu, W.  
Fault-tolerant policy for optical network based distributed computing  
system  
(2008) Proceedings CCGRID 2008 - 8th IEEE International Symposium on  
Cluster Computing and the Grid, art. no. 4534291, pp. 704-709.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-50649114928&partnerID=40>  
DOCUMENT TYPE: Conference Paper  
SOURCE: Scopus

Huybrechts, K., Maes, B., Morthier, G., Baets, R.  
Tristable all-optical flip-flop using coupled nonlinear cavities  
(2008) 2008 IEEE/LEOS Winter Topical Meeting Series, art. no. 4444377,  
pp. 16-17.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-50349083348&partnerID=40>  
DOCUMENT TYPE: Conference Paper  
SOURCE: Scopus

Jia, P., Zhang, J., Gu, W.  
Modeling and analysis of a hybrid optical switching system with delay  
buffer and wavelengths classification  
(2008) Journal of High Speed Networks, 17 (1), pp. 1-12.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-50249129514&partnerID=40>  
DOCUMENT TYPE: Article  
SOURCE: Scopus

Cho, H.J., Lin, A., Moon, S., Han, W.-T., Kim, B.H.

Non-resonant optical nonlinearity of germano-silicate optical fiber incorporated with Si nanocrystals  
(2008) Journal of the Korean Physical Society, 53 (3), pp. 1565-1569.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-53549097330&partnerID=40>  
DOCUMENT TYPE: Conference Paper  
SOURCE: Scopus

Kantarci, B., Oktug, S., Altılar, D.T.  
Prioritized contention resolution scheme for Grid services over OBS networks  
(2008) Proceedings of the 6th Annual Communication Networks and Services Research Conference, CNSR 2008, art. no. 4519864, pp. 234-241.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-49649099466&partnerID=40>  
DOCUMENT TYPE: Conference Paper  
SOURCE: Scopus

Li, J.C., Hinton, K., Dods, S.D., Farrell, P.M.  
Novel outage probability based RWA algorithm  
(2008) OFC/NFOEC 2008 - 2008 Conference on Optical Fiber Communication/National Fiber Optic Engineers Conference, art. no. 4528121, .  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-49349090191&partnerID=40>  
DOCUMENT TYPE: Conference Paper  
SOURCE: Scopus

Liu, X., Qiao, C., Wang, T.  
Survivable optical grids  
(2008) OFC/NFOEC 2008 - 2008 Conference on Optical Fiber Communication/National Fiber Optic Engineers Conference, art. no. 4528739, .  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-49349110704&partnerID=40>  
DOCUMENT TYPE: Conference Paper  
SOURCE: Scopus

Wu, J., Yin, Y.W., Cai, S.R., Hong, X.B., Lin, J.T.  
Experimental performance evaluation of high speed TCPs in traffic-driven LOBS network testbed  
(2008) OFC/NFOEC 2008 - 2008 Conference on Optical Fiber Communication/National Fiber Optic Engineers Conference, art. no. 4528434, .  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-49349085207&partnerID=40>  
DOCUMENT TYPE: Conference Paper  
SOURCE: Scopus

Kavitha, A., Rajamani, V.  
Performance analysis of slotted optical switching scheme using non-uniform traffic pattern  
(2008) Journal of Optical Communications, 29 (2), pp. 107-111.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-47949093022&partnerID=40>  
DOCUMENT TYPE: Article  
SOURCE: Scopus

Velasco, L., Spadaro, S., Comellas, J., Junyent, G.  
Introducing OMS protection in GMPLS-based optical ring networks  
(2008) *Computer Networks*, 52 (10), pp. 1975-1987. Cited 1 time.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-44649175647&partnerID=40>  
DOCUMENT TYPE: Article  
SOURCE: Scopus

Wu, Y., Xu, J., Li, S., Wan, Z., Mu, C.  
Optical MEMS devices based on micromachined torsion structure  
(2008) *Proceedings of SPIE - The International Society for Optical Engineering*, 6836, art. no. 683606, .  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-45549089955&partnerID=40>  
DOCUMENT TYPE: Conference Paper  
SOURCE: Scopus

Wan, Z., Wu, Y., Yuan, J., Xu, J.  
1 × 8 Fiber-optic switch based on an innovative waveguide converter and a micro torsion mirror  
(2008) *Applied Optics*, 47 (18), pp. 3333-3337.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-49649089974&partnerID=40>  
DOCUMENT TYPE: Article  
SOURCE: Scopus

He, J., Brandt-Pearce, M., Subramaniam, S.  
BER and latency constrained QoS-aware distributed routing for all-optical networks  
(2008) *Proceedings of the Second International Conference on Communications and Networking in China, ChinaCom 2007*, art. no. 4469429, pp. 467-471.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-43949112955&partnerID=40>  
DOCUMENT TYPE: Conference Paper  
SOURCE: Scopus

Fok, M.P., Shu, C.  
Recent advances in optical processing techniques using highly nonlinear bismuth oxide fiber  
(2008) *IEEE Journal on Selected Topics in Quantum Electronics*, 14 (3), art. no. 4538027, pp. 587-598. Cited 1 time.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-45249111141&partnerID=40>  
DOCUMENT TYPE: Article  
SOURCE: Scopus

Rosas-Fernández, J.B., Ayotte, S., Rusch, L.A., LaRochelle, S.  
Ultrafast forwarding architecture using a single optical processor for multiple SAC-label recognition based on FWM  
(2008) *IEEE Journal on Selected Topics in Quantum Electronics*, 14 (3), art. no. 4538061, pp. 868-878. Cited 1 time.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-45249123419&partnerID=40>  
DOCUMENT TYPE: Article  
SOURCE: Scopus

Øverby, H.

Combined study on survivability and performance in optical packet switched networks

(2008) *Journal of Optical Networking*, 7 (4), pp. 294-309.

<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-43449107996&partnerID=40>

DOCUMENT TYPE: Article

SOURCE: Scopus

Zhang, M.-J., Wang, Y.-C., An, Y., Niu, S.-X., He, H.-C.

Simultaneous all-optical clock division and wavelength conversion using a Fabry-Perot laser diode

(2008) *Proceedings of SPIE - The International Society for Optical Engineering*, 6824, art. no. 68241S, .

<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-40749131654&partnerID=40>

DOCUMENT TYPE: Conference Paper

SOURCE: Scopus

Kozicki, B., Maruta, A., Kitayama, K.-I.

Experimental demonstration of optical performance monitoring for RZ-DPSK signals using delay-tap sampling method

(2008) *Optics Express*, 16 (6), pp. 3566-3576. Cited 1 time.

<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-41149177715&partnerID=40>

DOCUMENT TYPE: Article

SOURCE: Scopus

Liang, Z., Xiao, S.

Performance evaluation of single-wavelength fiber delay line buffer with finite waiting places

(2008) *Journal of Lightwave Technology*, 26 (5), pp. 520-527.

<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-41149100528&partnerID=40>

DOCUMENT TYPE: Article

SOURCE: Scopus

Bouabdallah, N., Pujolle, G., Perros, H.

Multipoint-to-point lightpaths in all-optical networks: Dimensioning and cost analysis

(2008) *Performance Evaluation*, 65 (3-4), pp. 262-285.

<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-38849145109&partnerID=40>

DOCUMENT TYPE: Article

SOURCE: Scopus

Eramo, V., Listanti, M., Germoni, A.

Cost evaluation of optical packet switches equipped with limited-range and full-range converters for contention resolution

(2008) *Journal of Lightwave Technology*, 26 (4), pp. 390-407. Cited 1 time.

<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-40749145965&partnerID=40>

DOCUMENT TYPE: Article

SOURCE: Scopus

Chin, T.S., Abbou, F.M., Tat, E.H.  
Impact of four wave mixing (FWM) in routing and wavelength assignment  
(2008) American Journal of Applied Sciences, 5 (8), pp. 1059-1063.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-38849084525&partnerID=40>  
DOCUMENT TYPE: Article  
SOURCE: Scopus

Demeyer, S., De Leenheer, M., Baert, J., Pickavet, M., Demeester, P.  
Ant colony optimization for the routing of jobs in optical grid networks  
(2008) Journal of Optical Networking, 7 (2), pp. 160-172.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-40249086732&partnerID=40>  
DOCUMENT TYPE: Article  
SOURCE: Scopus

Ayad, A.S., Elsayed, K.M.F., Ahmed, S.H.  
Enhanced optimal and heuristic solutions of the routing problem in light-trail networks  
(2008) Photonic Network Communications, 15 (1), pp. 7-18.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-38549116555&partnerID=40>  
DOCUMENT TYPE: Article  
SOURCE: Scopus

Hsu, C.-F., Yang, L.-C.  
On the fairness improvement of channel scheduling in optical burst-switched networks  
(2008) Photonic Network Communications, 15 (1), pp. 51-66.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-38549093494&partnerID=40>  
DOCUMENT TYPE: Article  
SOURCE: Scopus

Pavani, G.S., Waldman, H.  
Addressing self-similarity in optical switching networks by means of ant colony optimization  
(2008) Photonic Network Communications, 15 (1), pp. 41-50.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-38549168886&partnerID=40>  
DOCUMENT TYPE: Article  
SOURCE: Scopus

Dai, W., Wu, G., Yang, Y., Chen, J.  
Resource scheduling in centralized OBS-based grids  
(2008) Journal of Optical Networking, 7 (2), pp. 111-118.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-40249091461&partnerID=40>  
DOCUMENT TYPE: Article  
SOURCE: Scopus

Tan, S.C., Abbou, F.M., Ewe, H.T.  
Impact of four wave mixing in ring and mesh topologies for routing and wavelength assignment  
(2007) Journal of Applied Sciences, 7 (24), pp. 4032-4035.

<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-37349048480&partnerID=40>  
DOCUMENT TYPE: Article  
SOURCE: Scopus

Hsu, C.-F.  
A novel dynamic RWA algorithm with intelligent granularity regulation in multi-granular all-optical networks  
(2007) *Computer Communications*, 30 (18), pp. 3525-3549.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-36549053555&partnerID=40>  
DOCUMENT TYPE: Article  
SOURCE: Scopus

Rahbar, A.G.P.  
Collision reduction schemes for class-based traffic in OPS networks  
(2007) 2007 International Symposium on High Capacity Optical Networks and Enabling Technologies, HONET, art. no. 4600281, .  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-52949145693&partnerID=40>  
DOCUMENT TYPE: Conference Paper  
SOURCE: Scopus

Liu, X., Wei, W., Yu, X., Qiao, C., Wang, T.  
Distributed computing task assignment and lightpath establishment (TALE)  
(2007) 2007 High-Speed Networks Workshop, HSNW, art. no. 4290538, pp. 16-20.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-46449137244&partnerID=40>  
DOCUMENT TYPE: Conference Paper  
SOURCE: Scopus

Yeom, J.-S., Tonguz, O., Castañón, G.  
Security in all-optical networks: Self-organization and attack avoidance  
(2007) IEEE International Conference on Communications, art. no. 4288895, pp. 1329-1335.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-38549116248&partnerID=40>  
DOCUMENT TYPE: Conference Paper  
SOURCE: Scopus

Li, Y., Xiao, G., Ghafouri-Shiraz, H.  
On traffic allocations in optical packet switches  
(2007) *IEEE Journal on Selected Areas in Communications*, 25 (9), pp. 108-117.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-36749083069&partnerID=40>  
DOCUMENT TYPE: Article  
SOURCE: Scopus

Christodoulopoulos, K., Varvarigos, E., Develder, C., De Leenheer, M., Dhoedt, B.  
Job demand models for optical grid research

(2007) Lecture Notes in Computer Science (including subseries Lecture Notes in Artificial Intelligence and Lecture Notes in Bioinformatics), 4534 LNCS, pp. 127-136.

<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-38049052613&partnerID=40>

DOCUMENT TYPE: Conference Paper

SOURCE: Scopus

Zhang, Z., Yang, Y.

Optical packet switches enhanced with electronic buffering and fixed wavelength conversion

(2007) Lecture Notes in Computer Science (including subseries Lecture Notes in Artificial Intelligence and Lecture Notes in Bioinformatics), 4516 LNCS, pp. 179-191.

<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-38149128155&partnerID=40>

DOCUMENT TYPE: Conference Paper

SOURCE: Scopus

Guerreiro, M., Correia, N.S., Medeiros, M.C.R.

Evaluation and comparison of signaling reservation protocols for grid over OBS networks employing active routers

(2007) Proceedings of 2007 9th International Conference on Transparent Optical Networks, ICTON 2007, 3, art. no. 4296257, pp. 105-108.

<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-48349134614&partnerID=40>

DOCUMENT TYPE: Conference Paper

SOURCE: Scopus

Rodelgo-Lacruz, M., López-Bravo, C., González-Castaño, F.J.

Load balanced distributed schedulers for WASPNET optical packet switches maintaining packet order

(2007) ICTON-MW'07 - International Conference on Transparent Optical Networks "Mediterranean Winter" 2007 - Conference Proceedings, art. no. 4446914, .

<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-47249112515&partnerID=40>

DOCUMENT TYPE: Conference Paper

SOURCE: Scopus

Menon, P., Thompson, R.A.

Optimal combination of circuit and packet switching in optical core networks

(2007) 2007 IEEE Workshop on High Performance Switching and Routing, HPSR, art. no. 4281220, pp. 111-115.

<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-47649130496&partnerID=40>

DOCUMENT TYPE: Conference Paper

SOURCE: Scopus

Qiu, K., Zhang, C., Ling, Y., Wang, Y.

A novel all-optical label processing for OPS networks based on multiple OOC sequences from multiple-groups OOC

(2007) Proceedings of SPIE - The International Society for Optical Engineering, 6783, art. no. 678336, .

<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-42949134295&partnerID=40>

DOCUMENT TYPE: Conference Paper  
SOURCE: Scopus

Heegaard, P.E., Sandmann, W.  
Efficient estimation of loss rates in optical packet switched networks with wavelength conversion  
(2007) Second International Conference on Systems and Networks Communications, ICSNC 2007, art. no. 4300031, .  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-47849119271&partnerID=40>  
DOCUMENT TYPE: Conference Paper  
SOURCE: Scopus

Liang, Z., Xiao, S., Qu, K., Zhao, Z., Liu, Z.  
An analytic model for single-wavelength fiber delay line buffer with finite waiting places  
(2007) Proceedings of SPIE - The International Society for Optical Engineering, 6783, art. no. 67830Y, .  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-42549135579&partnerID=40>  
DOCUMENT TYPE: Conference Paper  
SOURCE: Scopus

Rodelgo-Lacruz, M., Pavón-Mariño, P., González-Castañ, F.J., García-Haro, J., López-Bravo, C., Veiga-Gontán, J.  
Enhanced parallel iterative schedulers for IBWR optical packet switches  
(2007) Lecture Notes in Computer Science (including subseries Lecture Notes in Artificial Intelligence and Lecture Notes in Bioinformatics), 4534 LNCS, pp. 289-298. Cited 1 time.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-38049086774&partnerID=40>  
DOCUMENT TYPE: Conference Paper  
SOURCE: Scopus

Strauß, S., Kirstädter, A., Schupke, D.A.  
Multi-period planning of WDM-networks: Comparison of incremental and EoL approaches  
(2007) 2006 Second IEEE and IFIP International Conference in Central Asia on Internet, ICI 2006, art. no. 4055203, .  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-41549154139&partnerID=40>  
DOCUMENT TYPE: Conference Paper  
SOURCE: Scopus

Ayad, A.S., Elsayed, K.M.F., Ahmed, S.H.  
Enhanced optimal and heuristic solutions of the routing problem in light trail networks  
(2007) 2007 IEEE Workshop on High Performance Switching and Routing, HPSR, art. no. 4281249, pp. 270-275.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-47649101251&partnerID=40>  
DOCUMENT TYPE: Conference Paper  
SOURCE: Scopus

Avó, R., Guerreiro, M., Correia, N.S.C., Medeiros, M.C.R.  
A signaling architecture for consumer oriented grids based on optical burst switching

(2007) 3rd International Conference on Networking and Services, ICNS 2007, art. no. 4438368, .  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-47049083713&partnerID=40>  
DOCUMENT TYPE: Conference Paper  
SOURCE: Scopus

Heegaard, P.E., Sandmann, W.  
Efficient simulation of optical ring networks with intermittent transceiver faults  
(2007) IEEE International Workshop on Modeling, Analysis, and Simulation of Computer and Telecommunication Systems - Proceedings, art. no. 4674450, pp. 437-443.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-57849120243&partnerID=40>  
DOCUMENT TYPE: Conference Paper  
SOURCE: Scopus

Heegaard, P.E., Sandmann, W.  
Evaluating differentiated quality of service parameters in optical packet switching  
(2007) Lecture Notes in Computer Science (including subseries Lecture Notes in Artificial Intelligence and Lecture Notes in Bioinformatics), 4712 LNCS, pp. 162-174.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-38149098444&partnerID=40>  
DOCUMENT TYPE: Conference Paper  
SOURCE: Scopus

Raffaelli, C., Savi, M.  
Cost comparison of all-optical packet switches with shared wavelength converters  
(2007) Proceedings of 2007 9th International Conference on Transparent Optical Networks, ICTON 2007, 3, art. no. 4296282, pp. 209-212.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-48349102047&partnerID=40>  
DOCUMENT TYPE: Conference Paper  
SOURCE: Scopus

Miyagi, H., Hayashitani, M., Ishii, D., Arakawa, Y., Yamanaka, N.  
A deadline-aware scheduling scheme for wavelength assignment in  $\lambda$  grid networks  
(2007) IEEE International Conference on Communications, art. no. 4289071, pp. 2383-2387.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-38549147710&partnerID=40>  
DOCUMENT TYPE: Conference Paper  
SOURCE: Scopus

Salvadori, E., Ye, Y., Zanardi, A., Woesner, H., Carcagnì, M., Galimberti, G., Martinelli, G., Tanzi, A., La Fauci, D.  
Signalling-based architectures for impairment-aware lightpath set-up in GMPLS networks  
(2007) GLOBECOM - IEEE Global Telecommunications Conference, art. no. 4411342, pp. 2263-2268.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-39349086625&partnerID=40>

DOCUMENT TYPE: Conference Paper  
SOURCE: Scopus

Stavdas, A., Matrakidis, C., Politi, C.(T.)  
Migration of broadcast-and-select optical crossconnects from semi-static to dynamic reconfiguration and their physical layer modeling  
(2007) *Optics Communications*, 280 (1), pp. 49-57. Cited 2 times.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-35148842547&partnerID=40>  
DOCUMENT TYPE: Article  
SOURCE: Scopus

Choi, Y.-H., Seo, S.-W., Jeong, H.-Y.  
Wavelength-division-multiplexing optical packet switch with heterogeneous wavelength conversion capabilities  
(2007) *Applied Optics*, 46 (34), pp. 8218-8228.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-39049107877&partnerID=40>  
DOCUMENT TYPE: Article  
SOURCE: Scopus

Zhanikeev, M., Sugang, X., Tanaka, Y.  
Active performance measurement for IP over all-optical networks  
(2007) 2006 Second IEEE and IFIP International Conference in Central Asia on Internet, ICI 2006, art. no. 4055198, .  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-41549149488&partnerID=40>  
DOCUMENT TYPE: Conference Paper  
SOURCE: Scopus

De Leenheer, M., Develder, C., Stevens, T., Dhoedt, B., Pickavet, M., Demeester, P.  
Design and control of optical Grid networks  
(2007) *Proceedings of the 4th International Conference on Broadband Communications, Networks, Systems, BroadNets*, art. no. 4550413, pp. 107-115.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-51249095892&partnerID=40>  
DOCUMENT TYPE: Conference Paper  
SOURCE: Scopus

Raffaelli, C., Savi, M., Akar, N., Karasan, E.  
Packet loss analysis of synchronous buffer-less optical switch with shared limited range wavelength converters  
(2007) 2007 IEEE Workshop on High Performance Switching and Routing, HPSR, art. no. 4281243, pp. 129-134.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-47649123732&partnerID=40>  
DOCUMENT TYPE: Conference Paper  
SOURCE: Scopus

Pereira, H.A., Chaves, D.A.R., Bastos-Filho, C.J.A., Martins-Filho, J.F.  
Impact of physical layer impairments in all-optical networks  
(2007) *SBMO/IEEE MTT-S International Microwave and Optoelectronics Conference Proceedings*, art. no. 4404322, pp. 536-541.

<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-50449092149&partnerID=40>  
DOCUMENT TYPE: Conference Paper  
SOURCE: Scopus

Popa, D., Tomasik, J.  
On Markov chain modelling of asynchronous optical CSMA/CA protocol  
(2007) IEEE International Workshop on Modeling, Analysis, and Simulation of Computer and Telecommunication Systems - Proceedings, art. no. 4674439, pp. 360-365.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-57849168347&partnerID=40>  
DOCUMENT TYPE: Conference Paper  
SOURCE: Scopus

Xibin, S., Koukoumidis, I., Avrutin, E.A.  
Integrated packet-level all-optical clock recovery scheme based on a resonator and a quantum dot optical amplifier  
(2007) Proceedings of 2007 9th International Conference on Transparent Optical Networks, ICTON 2007, 1, art. no. 4296040, pp. 99-101.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-48349121234&partnerID=40>  
DOCUMENT TYPE: Conference Paper  
SOURCE: Scopus

He, J., Brandt-Pearce, M., Pointuriert, Y., Subramaniam, S.  
QoT-aware routing in impairment-constrained optical networks  
(2007) GLOBECOM - IEEE Global Telecommunications Conference, art. no. 4411343, pp. 2269-2274. Cited 1 time.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-39349114007&partnerID=40>  
DOCUMENT TYPE: Conference Paper  
SOURCE: Scopus

Callegati, F., Cerroni, W., Pavani, G.S.  
Key parameters for contention resolution in multi-fiber Optical Burst/Package Switching nodes  
(2007) Proceedings of the 4th International Conference on Broadband Communications, Networks, Systems, BroadNets, art. no. 4550428, pp. 217-223.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-51249087358&partnerID=40>  
DOCUMENT TYPE: Conference Paper  
SOURCE: Scopus

Lv, Z., Lv, G.  
Performance analyses of multiclass traffic in asynchronous bufferless optical packet switched networks  
(2007) 2007 International Symposium on High Capacity Optical Networks and Enabling Technologies, HONET, art. no. 4600266, .  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-52949086864&partnerID=40>  
DOCUMENT TYPE: Conference Paper  
SOURCE: Scopus

Chen, Y., Tang, W., Verma, P.K.  
Latency in grid over optical burst switching with heterogeneous traffic

(2007) Lecture Notes in Computer Science (including subseries Lecture Notes in Artificial Intelligence and Lecture Notes in Bioinformatics), 4782 LNCS, pp. 334-345.

<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-38349063497&partnerID=40>

DOCUMENT TYPE: Conference Paper

SOURCE: Scopus

Atmaca, T., Nguyen, V.H., Popa, D.

Tutorial on optical metropolitan networks: Packet format, MAC protocols and quality of service

(2007) Proceedings of SPIE - The International Society for Optical Engineering, 6783, art. no. 67830E, .

<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-42549119072&partnerID=40>

DOCUMENT TYPE: Conference Paper

SOURCE: Scopus

Kozicki, B., Maruta, A., Kitayama, K.-I.

Transparent performance monitoring of RZ-DQPSK systems employing delay-tap sampling

(2007) Journal of Optical Networking, 6 (11), pp. 1257-1269. Cited 2 times.

<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-40249108427&partnerID=40>

DOCUMENT TYPE: Article

SOURCE: Scopus

Pavon-Mariño, P., Garcia-Haro, J., Jajszczyk, A.

Parallel desynchronized block matching: A feasible scheduling algorithm for the input-buffered wavelength-routed switch

(2007) Computer Networks, 51 (15), pp. 4270-4283. Cited 2 times.

<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-34548044438&partnerID=40>

DOCUMENT TYPE: Article

SOURCE: Scopus

Miyagi, H., Hayashitani, M., Ishii, D., Arakawa, Y., Yamanaka, N.

Advanced wavelength reservation method based on deadline-aware scheduling for lambda grid networks

(2007) Journal of Lightwave Technology, 25 (10), pp. 2904-2910.

<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-36348998822&partnerID=40>

DOCUMENT TYPE: Article

SOURCE: Scopus

Hasib, M., Schormans, J., Timotijevic, T.

Accuracy of packet loss monitoring over networked CPE

(2007) IET Communications, 1 (3), pp. 507-513.

<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-34748834216&partnerID=40>

DOCUMENT TYPE: Article

SOURCE: Scopus

Okorafor, E.

Integrated hybrid optical node using dynamic reconfiguration and routing algorithms for bimodal traffic

(2007) Journal of Optical Networking, 6 (10), pp. 1191-1209.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-40249084206&partnerID=40>  
DOCUMENT TYPE: Article  
SOURCE: Scopus

Bouabdallah, N., Perros, H.  
Cost-effective single-hub WDM ring networks: A proposal and analysis  
(2007) Computer Networks, 51 (13), pp. 3878-3901.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-34447256820&partnerID=40>  
DOCUMENT TYPE: Article  
SOURCE: Scopus

Politi, C.T., Alexandropoulos, D., Klonidis, D., O'Mahony, M., Stavdas, A.  
Concatenation performance of optical packet switches that incorporate wavelength converters based on four-wave mixing in semiconductor optical amplifiers  
(2007) IET Optoelectronics, 1 (3), pp. 101-109.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-34548436537&partnerID=40>  
DOCUMENT TYPE: Article  
SOURCE: Scopus

Hernández, J.A., Phillips, I.W., Aracil, J.  
Discrete-time heavy-tailed chains, and their properties in modeling network traffic  
(2007) ACM Transactions on Modeling and Computer Simulation, 17 (4), art. no. 1276930, .  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-34648828094&partnerID=40>  
DOCUMENT TYPE: Article  
SOURCE: Scopus

Kim, S., Choi, J.-S., Yoon, B.-Y., Kang, M.  
Optimal offset-time decision for QoS in optical burst switching networks  
(2007) Journal of Communications and Networks, 9 (3), pp. 312-318.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-35248874001&partnerID=40>  
DOCUMENT TYPE: Article  
SOURCE: Scopus

Tan, S.C., Abbou, F.M., Tat, E.H.  
Packet contention resolution in slotted optical packet switch using ant-colony based algorithm  
(2007) IET Communications, 1 (4), pp. 693-695.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-34547668813&partnerID=40>  
DOCUMENT TYPE: Article  
SOURCE: Scopus

El-Bawab, T.S.  
Signs of recovery in the optical networking Arena  
(2007) Conference Proceedings - IEEE SOUTHEASTCON, art. no. 4147523, pp. 715-719.

<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-34547674730&partnerID=40>  
DOCUMENT TYPE: Conference Paper  
SOURCE: Scopus

Finochietto, J.M., Aracil, J., Ferreiro, Á., Fernández-Palacios Giménez, J.P., González de Dios, Ó.  
Migration strategies toward all optical metropolitan access rings  
(2007) *Journal of Lightwave Technology*, 25 (8), pp. 1918-1930. Cited 1 time.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-34548155984&partnerID=40>  
DOCUMENT TYPE: Article  
SOURCE: Scopus

Bouabdallah, N.  
Sub-wavelength solutions for next-generation optical networks  
(2007) *IEEE Communications Magazine*, 45 (8), pp. 36-43. Cited 2 times.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-34548610939&partnerID=40>  
DOCUMENT TYPE: Review  
SOURCE: Scopus

Zhou, J., Wu, J., Lin, J.  
Novel acknowledgement-based assembly and scheduling mechanisms in optical burst switching grid networks  
(2007) *Optical Engineering*, 46 (6), art. no. 065003, .  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-34548047722&partnerID=40>  
DOCUMENT TYPE: Article  
SOURCE: Scopus

Tioh, J.-W., Mina, M., Weber, R.J.  
Magnetically controlled switches for optoelectronics networking: The problem, available technology, new implementations  
(2007) *IEEE Transactions on Magnetics*, 43 (6), pp. 2698-2700. Cited 1 time.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-34249093860&partnerID=40>  
DOCUMENT TYPE: Conference Paper  
SOURCE: Scopus

Joindot, I., Joindot, M.  
Impact of cascaded filters-based OADMs in an all optical backbone network  
(2007) *Annales des Telecommunications/Annals of Telecommunications*, 62 (5-6), pp. 550-566.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-34547437271&partnerID=40>  
DOCUMENT TYPE: Article  
SOURCE: Scopus

Liu, G., Ji, C.  
Resilience of all-optical network architectures under in-band crosstalk attacks: A probabilistic graphical model approach  
(2007) *IEEE Journal on Selected Areas in Communications*, 25 (4), pp. 2-17. Cited 2 times.

<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-34249289401&partnerID=40>  
DOCUMENT TYPE: Article  
SOURCE: Scopus

Jin, M., Yang, O.W.W.  
APOSN: Operation, modeling and performance evaluation  
(2007) *Computer Networks*, 51 (6), pp. 1643-1659. Cited 1 time.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-33846866541&partnerID=40>  
DOCUMENT TYPE: Article  
SOURCE: Scopus

Chin, T.S., Abbou, F.M., Tat, E.H.  
Ant algorithm for amplifier spontaneous emission (ASE)-aware routing  
(2007) *IEICE Electronics Express*, 4 (8), pp. 264-270. Cited 1 time.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-34248367438&partnerID=40>  
DOCUMENT TYPE: Article  
SOURCE: Scopus

Rahman, T.A., Ahmed, M.K., Saad, E.S.M.  
All optical synchronous binary counter based on optical flip-flop memory  
(2007) *WSEAS Transactions on Communications*, 6 (4), pp. 663-666.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-34250314456&partnerID=40>  
DOCUMENT TYPE: Article  
SOURCE: Scopus

Segarra, J., Sales, V., Prat, J.  
An all-optical access-metro interface for hybrid WDM/TDM PON based on OBS  
(2007) *Journal of Lightwave Technology*, 25 (4), pp. 1002-1016. Cited 3 times.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-34247647929&partnerID=40>  
DOCUMENT TYPE: Article  
SOURCE: Scopus

Øverby, H.  
Traffic models for slotted optical packet switched networks  
(2007) *Photonic Network Communications*, 13 (2), pp. 183-194. Cited 1 time.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-33947326715&partnerID=40>  
DOCUMENT TYPE: Article  
SOURCE: Scopus

Vallejós, R., Zapata, A., Aravena, M.  
Fast blocking probability evaluation of end-to-end optical burst switching networks with non-uniform ON-OFF input traffic model  
(2007) *Photonic Network Communications*, 13 (2), pp. 217-226.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-33947323722&partnerID=40>  
DOCUMENT TYPE: Article  
SOURCE: Scopus

Øverby, H.  
Traffic modelling of asynchronous bufferless optical packet switched networks  
(2007) *Computer Communications*, 30 (6), pp. 1229-1243. Cited 1 time.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-33947106402&partnerID=40>  
DOCUMENT TYPE: Article  
SOURCE: Scopus

Li, Y., Xiao, G., Ghafouri-Shiraz, H.  
Performance evaluation of multi-fiber optical packet switches  
(2007) *Computer Networks*, 51 (4), pp. 995-1012. Cited 1 time.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-33845886984&partnerID=40>  
DOCUMENT TYPE: Article  
SOURCE: Scopus

Lu, Z., Yeo, K.S., Ma, J., Do, M.A., Lim, W.M., Chen, X.  
Broad-band design techniques for transimpedance amplifiers  
(2007) *IEEE Transactions on Circuits and Systems I: Regular Papers*, 54 (3), pp. 590-600. Cited 4 times.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-34047120674&partnerID=40>  
DOCUMENT TYPE: Article  
SOURCE: Scopus

Kim, S., Kim, Y.-C., Yoon, B.-Y., Kang, M.  
An integrated congestion control mechanism for optimized performance using two-step rate controller in optical burst switching networks  
(2007) *Computer Networks*, 51 (3), pp. 606-620. Cited 1 time.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-33751320913&partnerID=40>  
DOCUMENT TYPE: Article  
SOURCE: Scopus

Seddighian, P., Ayotte, S., Rosas-Fernandez, J.B., Penon, J., Rusch, L.A., LaRochelle, S.  
Label stacking in photonic packet-switched networks with spectral amplitude code labels  
(2007) *Journal of Lightwave Technology*, 25 (2), pp. 463-471. Cited 5 times.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-34147162743&partnerID=40>  
DOCUMENT TYPE: Article  
SOURCE: Scopus

Lazaro, J.A., Arellano, C., Polo, V., Prat, J.  
Rayleigh scattering reduction by means of optical frequency dithering in passive optical networks with remotely seeded ONUs  
(2007) *IEEE Photonics Technology Letters*, 19 (2), pp. 64-66. Cited 4 times.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-33846053908&partnerID=40>  
DOCUMENT TYPE: Article  
SOURCE: Scopus

Kim, J., Cho, J., Das, S., Gutierrez, D., Jain, M., Su, C.-F., Rabbat, R., Hamada, T., Kazovsky, L.G.

Optical burst transport: A technology for the WDM metro ring networks (2007) *Journal of Lightwave Technology*, 25 (1), pp. 93-102. Cited 2 times.

<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-34147186654&partnerID=40>

DOCUMENT TYPE: Conference Paper

SOURCE: Scopus

Chaitou, M., Hébuterne, G., Castel, H.

Two efficient packet aggregation mechanisms and QoS support in a slotted dual bus optical ring network

(2007) *Performance Evaluation*, 64 (1), pp. 20-54. Cited 1 time.

<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-33750705233&partnerID=40>

DOCUMENT TYPE: Article

SOURCE: Scopus

Chang, C.-Y., Cheng, S.-T., Kuo, S.-Y.

A two-level TDM access protocol for IP support in WDM optical networks (2006) *Dynamics of Continuous, Discrete and Impulsive Systems Series B: Applications and Algorithms*, 13 (1), pp. 115-138.

<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-33845693782&partnerID=40>

DOCUMENT TYPE: Article

SOURCE: Scopus

Wei, G., Zhenyu, S., Zhengyu, W., Pengshan, Z., Jing, M., Yan, W., Yaohui, J., Weiqiang, S., Weisheng, H.

Task scheduling algorithm for optical grid architecture

(2006) *Proceedings of SPIE - The International Society for Optical Engineering*, 6354 I, art. no. 63540P, .

<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-33845602999&partnerID=40>

DOCUMENT TYPE: Conference Paper

SOURCE: Scopus

Runze, W., Yuefeng, J.

Parallel-service-driven distributed control plane architecture for grids based on ASON

(2006) *Proceedings of SPIE - The International Society for Optical Engineering*, 6354 I, art. no. 63541G, .

<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-33845600725&partnerID=40>

DOCUMENT TYPE: Conference Paper

SOURCE: Scopus

Tibuleac, S., Filer, M., Grindstaff, S., Atlas, D.

Design and optimization of multi-haul DWDM networks

(2006) *Proceedings of SPIE - The International Society for Optical Engineering*, 6354 II, art. no. 635421, .

<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-33845625988&partnerID=40>

DOCUMENT TYPE: Conference Paper

SOURCE: Scopus

Kim, J.-H., Choi, J., Kang, M., Rhee, J.-K.K.  
Design of novel passive optical switching system using shared  
wavelength conversion with electrical buffer  
(2006) IEICE Electronics Express, 3 (24), pp. 546-551. Cited 1 time.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-33947366878&partnerID=40>  
DOCUMENT TYPE: Article  
SOURCE: Scopus

Tan, S.C., Abbou, F.M., Ewe, H.T.  
Ant-based contention resolution in slotted WDM optical packet switched  
networks  
(2006) IEICE Electronics Express, 3 (24), pp. 540-545.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-33947430601&partnerID=40>  
DOCUMENT TYPE: Article  
SOURCE: Scopus

Van Caenegem, R., Colle, D., Pickavet, M., Demeester, P.  
A comparison of optical packet switching node architectures based on  
component cost  
(2006) 2006 Optical Fiber Communication Conference, and the 2006  
National Fiber Optic Engineers Conference, 2006, art. no. 1636467, .  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-33845363284&partnerID=40>  
DOCUMENT TYPE: Conference Paper  
SOURCE: Scopus

Boduch, M., Fisher, K., Leonov, O., Grzyb, J., Schmidt, T., Saunders,  
R., Ceuppens, L.  
Transmission of 40 Gbps signals through metropolitan networks  
engineered for 10 Gbps signals  
(2006) 2006 Optical Fiber Communication Conference, and the 2006  
National Fiber Optic Engineers Conference, 2006, art. no. 1636413, .  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-33845367058&partnerID=40>  
DOCUMENT TYPE: Conference Paper  
SOURCE: Scopus

Arakawa, Y., Yamanaka, N.  
A new QoS differentiation scheme in optical burst switching with on-  
the-fly path setup mechanism  
(2006) 2006 Optical Fiber Communication Conference, and the 2006  
National Fiber Optic Engineers Conference, 2006, art. no. 1636743, .  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-33845351044&partnerID=40>  
DOCUMENT TYPE: Conference Paper  
SOURCE: Scopus

Callegati, F., Cerroni, W., Raffaelli, C.  
Impact of optical packet loss and reordering on TCP performance  
(2006) GLOBECOM - IEEE Global Telecommunications Conference, art. no.  
4151041, .  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-50949123200&partnerID=40>  
DOCUMENT TYPE: Conference Paper  
SOURCE: Scopus

Choi, Y.-H., Seo, S.-W.

A WDM optical packet switch based on wavelength converter blocks with heterogeneous conversion capability

(2006) GLOBECOM - IEEE Global Telecommunications Conference, art. no. 4151018, .

<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-50949105857&partnerID=40>

DOCUMENT TYPE: Conference Paper

SOURCE: Scopus

Bernasconi, P., Gripp, J., Neilson, D., Simsarian, J., Stiliadis, D., Varma, A., Zirngibl, M.

Architecture of an Integrated Router Interconnected Spectrally (IRIS)

(2006) 2006 Workshop on High Performance Switching and Routing, HPSR 2006, art. no. 1709684, pp. 71-78.

<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-41549100179&partnerID=40>

DOCUMENT TYPE: Conference Paper

SOURCE: Scopus

Eramo, V.

An analytical model for TOWC dimensioning in a multifiber optical-packet switch

(2006) Journal of Lightwave Technology, 24 (12), pp. 4799-4810.

<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-33847619686&partnerID=40>

DOCUMENT TYPE: Article

SOURCE: Scopus

Yoo, S.J.B.

Optical packet and burst switching technologies for the future photonic internet

(2006) Journal of Lightwave Technology, 24 (12), pp. 4468-4492. Cited 41 times.

<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-33847617368&partnerID=40>

DOCUMENT TYPE: Review

SOURCE: Scopus

Martínez, R., Pinart, C., Comellas, J., Junyent, G.

Routing issues in transparent optical networks

(2006) 2006 International Conference on Transparent Optical Networks, 3, art. no. 4013830, pp. 189-194. Cited 1 time.

<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-34250678602&partnerID=40>

DOCUMENT TYPE: Conference Paper

SOURCE: Scopus

Wu, B., Yeung, K.L.

Light-trail assignment in WDM optical networks

(2006) GLOBECOM - IEEE Global Telecommunications Conference, art. no. 4151004, .

<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-50949086281&partnerID=40>

DOCUMENT TYPE: Conference Paper

SOURCE: Scopus

Cao, X., Anand, V., Qiao, C.  
Framework for waveband switching in multigranular optical networks:  
Part I-multigranular cross-connect architectures [Invited]  
(2006) Journal of Optical Networking, 5 (12), pp. 1043-1055. Cited 7  
times.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-33847262959&partnerID=40>  
DOCUMENT TYPE: Article  
SOURCE: Scopus

Veiga-Gontán, J., Pavón-Mariño, P., Vales-Alonso, J., García-Haro, J.,  
Rodelgo, M., López-Bravo, C., González-Castaño, F.J.  
GMPLS optical packet switching networks: Optical vs. electronic  
feasibility  
(2006) 2006 International Conference on Transparent Optical Networks,  
3, art. no. 4013835, pp. 215-218. Cited 2 times.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-34250665542&partnerID=40>  
DOCUMENT TYPE: Conference Paper  
SOURCE: Scopus

Hamza, H.S., Deogun, J.S.  
On the design of a  $2 \log N - 2$  WDM optical path cross connect with full  
permutation capability  
(2006) GLOBECOM - IEEE Global Telecommunications Conference, art. no.  
4151007, .  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-50949097966&partnerID=40>  
DOCUMENT TYPE: Conference Paper  
SOURCE: Scopus

Pavani, G.S., Waldman, H.  
Traffic engineering and restoration in optical packet switching  
networks by means of ant colony optimization  
(2006) 2006 3rd International Conference on Broadband Communications,  
Networks and Systems, BROADNETS 2006, art. no. 4374329, .  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-51749114282&partnerID=40>  
DOCUMENT TYPE: Conference Paper  
SOURCE: Scopus

Kimsås, A., Øverby, H., Bjørnstad, S., Stol, N.  
Performance in a failure situation of an OpMiGua packet switch with  
internal blocking  
(2006) 2006 International Conference on Transparent Optical Networks,  
3, art. no. 4013837, pp. 225-230.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-34250638322&partnerID=40>  
DOCUMENT TYPE: Conference Paper  
SOURCE: Scopus

Eramo, V., Listanti, M.  
Performance analysis of optical packet switches equipped with multicast  
wavelength converters  
(2006) IEEE International Conference on Communications, 6, art. no.  
4024555, pp. 2524-2531. Cited 1 time.

<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-42549083881&partnerID=40>  
DOCUMENT TYPE: Conference Paper  
SOURCE: Scopus

Raffaelli, C., Savi, M., Stavdas, A.  
Performance of scheduling algorithms in multi-stage optical packet switches with sparse wavelength converters  
(2006) GLOBECOM - IEEE Global Telecommunications Conference, art. no. 4151019, .  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-50949122380&partnerID=40>  
DOCUMENT TYPE: Conference Paper  
SOURCE: Scopus

Raffaelli, C., Savi, M.  
Performance modelling of synchronous buffer-less optical packet switch with partial wavelength conversion  
(2006) IEEE International Conference on Communications, 6, art. no. 4024556, pp. 2532-2537.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-42549092280&partnerID=40>  
DOCUMENT TYPE: Conference Paper  
SOURCE: Scopus

Pointurier, Y., Brandt-Pearce, M., Xu, B.  
Reduction of crosstalk in WDM networks with optional FEC coding  
(2006) Proceedings of the IASTED International Conference on OPTICAL COMMUNICATION SYSTEMS AND NETWORKS, Part of the Sixth IASTED International Multi-Conference on WIRELESS AND OPTICAL COMMUNICATIONS, 2006, pp. 242-247.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-34047174839&partnerID=40>  
DOCUMENT TYPE: Conference Paper  
SOURCE: Scopus

Matrakidis, C., Politi, C., Stavdas, A.  
Modular broadcast-and-select optical crossconnects and their physical layer modelling  
(2006) 2006 International Conference on Photonics in Switching, Proceedings, PS, art. no. 4350177, pp. 184-186.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-47349105461&partnerID=40>  
DOCUMENT TYPE: Conference Paper  
SOURCE: Scopus

Nuzman, C., Widjaja, I.  
Time-domain wavelength interleaved networking with wavelength reuse  
(2006) Proceedings - IEEE INFOCOM, art. no. 4146816, . Cited 4 times.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-33845797353&partnerID=40>  
DOCUMENT TYPE: Conference Paper  
SOURCE: Scopus

Bouabdallah, N., Pujolle, G., Perros, H.  
Cost-effective single-hub WDM ring networks

(2006) IEEE International Conference on Communications, 5, art. no. 4024527, pp. 2421-2426.

<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-42549142976&partnerID=40>

DOCUMENT TYPE: Conference Paper

SOURCE: Scopus

Sivaraman, V., Elgindy, H., Moreland, D., Ostry, D.

Packet pacing in short buffer optical packet switched networks

(2006) Proceedings - IEEE INFOCOM, art. no. 4146762, . Cited 3 times.

<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-39049091853&partnerID=40>

DOCUMENT TYPE: Conference Paper

SOURCE: Scopus

Liang, X., Lin, X., Li, M.

Adaptive task scheduling on optical grid

(2006) Proceedings of 2006 IEEE Asia-Pacific Conference on Services Computing, APSCC, art. no. 4041277, pp. 486-491.

<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-39749143225&partnerID=40>

DOCUMENT TYPE: Conference Paper

SOURCE: Scopus

Toazza, A.L., Guimarães, M., Petersen, C.A.C., Gallep, C.M., Conforti, E.

Experimental and theoretical analysis of packaging inductances and stray capacitances of a semiconductor optical amplifier

(2006) 2006 International Telecommunications Symposium, ITS, art. no. 4433243, pp. 63-66.

<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-50449086814&partnerID=40>

DOCUMENT TYPE: Conference Paper

SOURCE: Scopus

Ayad, A.S., El Sayed, K.M., Ahmed, S.H.

Efficient solution of the traffic grooming problem in light-trail optical networks

(2006) Proceedings - International Symposium on Computers and Communications, art. no. 1691096, pp. 622-627.

<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-34547266432&partnerID=40>

DOCUMENT TYPE: Conference Paper

SOURCE: Scopus

Raffaelli, C., Savi, M., Stavdas, A.

Sharing wavelength converters in multistage optical packet switches

(2006) 2006 Workshop on High Performance Switching and Routing, HPSR 2006, art. no. 1709707, pp. 203-208. Cited 4 times.

<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-34547288230&partnerID=40>

DOCUMENT TYPE: Conference Paper

SOURCE: Scopus

Pointurier, Y., Brandt-Pearce, M., Deng, T., Subramaniam, S.

Fair QoS-aware adaptive routing and wavelength assignment in all-optical networks

(2006) IEEE International Conference on Communications, 6, art. no. 4024540, pp. 2433-2438.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-42549123697&partnerID=40>  
DOCUMENT TYPE: Conference Paper  
SOURCE: Scopus

Raffaelli, C., Savi, M.  
Traffic performance of buffered multi-stage optical packet switch  
(2006) 2006 International Conference on Photonics in Switching, Proceedings, PS, art. no. 4350129, pp. 39-41.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-47349085536&partnerID=40>  
DOCUMENT TYPE: Conference Paper  
SOURCE: Scopus

El-Bawab, T.S.  
Optical networking: Status update  
(2006) Proceedings of SPIE - The International Society for Optical Engineering, 6388, art. no. 638807, . Cited 1 time.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-33751303477&partnerID=40>  
DOCUMENT TYPE: Conference Paper  
SOURCE: Scopus

Shi, X., Lu, Z., Jianguo, M., Li, E., Yeo, K.S., Do, M.A.  
Investigation of interconnect effects in a transimpedance amplifier  
(2006) 17th International Zurich Symposium on Electromagnetic Compatibility, 2006, 2006, art. no. 1629692, pp. 586-589.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-33751048814&partnerID=40>  
DOCUMENT TYPE: Conference Paper  
SOURCE: Scopus

Popa, D., Atmaca, T.  
A distributed fairness algorithm for bus-based metropolitan optical network  
(2006) Conference Proceedings of the IEEE International Performance, Computing, and Communications Conference, 2006, art. no. 1629418, pp. 281-288.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-33751029336&partnerID=40>  
DOCUMENT TYPE: Conference Paper  
SOURCE: Scopus

Ii, G.Y., Abdullah, M.K., Dimyati, K.  
Preemptive hybrid scheduling scheme for optical packet switch with class differentiation  
(2006) 8th International Conference Advanced Communication Technology, ICACT 2006 - Proceedings, 2, art. no. 1625805, pp. 1261-1263.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-33750962852&partnerID=40>  
DOCUMENT TYPE: Conference Paper  
SOURCE: Scopus

Matsuda, H., Yasui, T., Kaminogou, T.

Configurational design of a pair-controlled photonic switch fabric for both-way communications

(2006) *Optical Engineering*, 45 (11), art. no. 115004, .  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-33847757842&partnerID=40>

DOCUMENT TYPE: Article

SOURCE: Scopus

Hamza, H.S., Deogun, J.S.

Wavelength-division-multiplexing optical Benes-type networks with simultaneous space-wavelength switching

(2006) *Journal of Optical Networking*, 5 (11), pp. 807-828.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-33847350331&partnerID=40>

DOCUMENT TYPE: Article

SOURCE: Scopus

Zapata, A., Bayvel, P.

Do we really need dynamic wavelength-routed optical networks?

(2006) *Lecture Notes in Computer Science (including subseries Lecture Notes in Artificial Intelligence and Lecture Notes in Bioinformatics)*, 4208 LNCS, pp. 477-486. Cited 1 time.

<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-33750332139&partnerID=40>

DOCUMENT TYPE: Conference Paper

SOURCE: Scopus

Chaitou, M., Hébuterne, G., Castel, H.

A new efficient solution for QoS support in all optical metropolitan area networks

(2006) *Computer Communications*, 29 (16), pp. 3135-3147.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-33748921892&partnerID=40>

DOCUMENT TYPE: Article

SOURCE: Scopus

Øverby, H.

How the packet length distribution influences the packet loss rate in an optical packet switch

(2006) *Proceedings of the Advanced International Conference on Telecommunications and International Conference on Internet and Web Applications and Services, AICT/ICIW'06, 2006*, art. no. 1602178, p. 46.

<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-33749040858&partnerID=40>

DOCUMENT TYPE: Conference Paper

SOURCE: Scopus

Kimsas, A., Øverby, H., Bjørnstad, S., Tuft, V.L.

A cross layer study of packet loss in all-optical networks

(2006) *Proceedings of the Advanced International Conference on Telecommunications and International Conference on Internet and Web Applications and Services, AICT/ICIW'06, 2006*, art. no. 1602197, p. 65. Cited 1 time.

<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-33749068654&partnerID=40>

DOCUMENT TYPE: Conference Paper

SOURCE: Scopus

Øverby, H.

Network layer packet redundancy in asynchronous optical packet switched networks without wavelength conversion

(2006) Proceedings of the Advanced International Conference on Telecommunications and International Conference on Internet and Web Applications and Services, AICT/ICIW'06, 2006, art. no. 1602184, p. 52.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-33749061474&partnerID=40>

DOCUMENT TYPE: Conference Paper

SOURCE: Scopus

Huang, S., Baba, K.-I., Murata, M., Kitayama, K.-I.

Variable-bandwidth optical paths: Comparison between optical code-labeled path and OCDM path

(2006) Journal of Lightwave Technology, 24 (10), pp. 3563-3573. Cited 5 times.

<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-33750222130&partnerID=40>

DOCUMENT TYPE: Article

SOURCE: Scopus

Lee, J., Bang, J.-H.

Novel architectural schemes for wavelength conversions in optical cross connect systems

(2006) Optical Fiber Technology, 12 (4), pp. 317-322.

<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-33748422186&partnerID=40>

DOCUMENT TYPE: Article

SOURCE: Scopus

Øverby, H.

Cost evaluations of the protected network layer packet redundancy scheme

(2006) Journal of Optical Networking, 5 (10), pp. 747-763.

<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-33749532519&partnerID=40>

DOCUMENT TYPE: Article

SOURCE: Scopus

Pándi, Z., Tacca, M., Fumagalli, A., Wosinska, L.

Dynamic provisioning of availability-constrained optical circuits in the presence of optical node failures

(2006) Journal of Lightwave Technology, 24 (9), pp. 3268-3279. Cited 3 times.

<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-33947628660&partnerID=40>

DOCUMENT TYPE: Article

SOURCE: Scopus

Liang, X., Lin, X., Li, M.

Adaptive scheduling method available on optical grid

(2006) Huazhong Keji Daxue Xuebao (Ziran Kexue Ban)/Journal of Huazhong University of Science and Technology (Natural Science Edition), 34 (SUPPL.), pp. 83-85.

<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-33751093784&partnerID=40>

DOCUMENT TYPE: Article  
SOURCE: Scopus

De Pinho Alho Jr., M., Giralaldi, M.T.M.R.  
Improving the response of a SOA wavelength converter in the counter propagating mode using a fiber Bragg grating  
(2006) Proceedings of SPIE - The International Society for Optical Engineering, 6193, art. no. 61930H, .  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-33746689153&partnerID=40>  
DOCUMENT TYPE: Conference Paper  
SOURCE: Scopus

Porzi, C., Poti, L., Bogoni, A., Guina, M., Okhotnikov, O.  
Characterization and operation of a broad-band all-optical vertical cavity semiconductor wavelength converter  
(2006) Proceedings of SPIE - The International Society for Optical Engineering, 6183, art. no. 61830Z, . Cited 1 time.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-33746741760&partnerID=40>  
DOCUMENT TYPE: Conference Paper  
SOURCE: Scopus

Zhang, Z., Yang, Y.  
Low-loss switching fabric design for recirculating buffer in WDM optical packet switching networks using arrayed waveguide grating routers  
(2006) IEEE Transactions on Communications, 54 (8), pp. 1469-1472. Cited 2 times.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-33747833124&partnerID=40>  
DOCUMENT TYPE: Article  
SOURCE: Scopus

Gauger, C.M., Kühn, P.J., Van Breusegem, E., Pickavet, M., Demeester, P.  
Hybrid optical network architectures: Bringing packets and circuits together  
(2006) IEEE Communications Magazine, 44 (8), pp. 36-42. Cited 8 times.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-33947186218&partnerID=40>  
DOCUMENT TYPE: Review  
SOURCE: Scopus

Wang, Z., Chi, N., Yu, S.  
Time-slot assignment using optical buffer with a large variable delay range based on AVC crosspoint switch  
(2006) Journal of Lightwave Technology, 24 (8), pp. 2994-3001. Cited 5 times.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-33747617572&partnerID=40>  
DOCUMENT TYPE: Article  
SOURCE: Scopus

Øverby, H., Stol, N., Nord, M.  
Evaluation of QoS differentiation mechanisms in asynchronous bufferless optical packet-switched networks

(2006) IEEE Communications Magazine, 44 (8), pp. 52-57. Cited 6 times.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-33847283704&partnerID=40>  
DOCUMENT TYPE: Review  
SOURCE: Scopus

Lackovic, M., Bungarzeanu, C.  
Modeling and performance analysis of IP access interface in optical transmission networks with packet switching  
(2006) Telecommunication Systems, 32 (2-3), pp. 131-148.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-33746588309&partnerID=40>  
DOCUMENT TYPE: Conference Paper  
SOURCE: Scopus

Pavón-Mariño, P., González-Castaño, F.J., García-Haro, J.  
Round-robin wavelength assignment: A new packet sequence criterion in optical packet switching SCWP networks  
(2006) European Transactions on Telecommunications, 17 (4), pp. 451-459. Cited 5 times.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-33747476442&partnerID=40>  
DOCUMENT TYPE: Article  
SOURCE: Scopus

Ling, Y., Qiu, K., Zheng, M., Wang, Y., Liu, P.  
A novel scheme of optical-code label switching without a strict timing  
(2006) Optical Switching and Networking, 3 (1), pp. 64-69. Cited 1 time.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-33745160383&partnerID=40>  
DOCUMENT TYPE: Article  
SOURCE: Scopus

Lee, S.-C., Varrazza, R., Yu, S.  
Advanced optical packet switching functions using active vertical-couplers-based optical switch matrix  
(2006) IEEE Journal on Selected Topics in Quantum Electronics, 12 (4), art. no. 1668126, pp. 817-826. Cited 1 time.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-33747235397&partnerID=40>  
DOCUMENT TYPE: Article  
SOURCE: Scopus

Xi, K., Arakawa, S., Murata, M.  
Virtual fully connected WDM network: A high-performance single-hop architecture for metropolitan area networks  
(2006) Optical Switching and Networking, 3 (1), pp. 24-40.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-33745170699&partnerID=40>  
DOCUMENT TYPE: Article  
SOURCE: Scopus

Hamza, H.S., Deogun, J.S.  
Designing scalable WDM optical interconnects using predefined wavelength conversion  
(2006) Journal of Optical Networking, 5 (5), pp. 422-434. Cited 1 time.

<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-33745272522&partnerID=40>  
DOCUMENT TYPE: Article  
SOURCE: Scopus

Eramo, V., Listanti, M.  
Performance analysis of optical packet switches equipped with multicast wavelength converters  
(2006) *Journal of Optical Networking*, 5 (2), pp. 82-96. Cited 3 times.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-33745285339&partnerID=40>  
DOCUMENT TYPE: Article  
SOURCE: Scopus

Kwok, C.H., Chow, C.W., Tsang, H.K., Lin, C., Bjarklev, A.  
Nonlinear polarization rotation in a dispersion-flattened photonic-crystal fiber for ultrawideband (>100 nm) all-optical wavelength conversion of 10 Gbit/s nonreturn-to-zero signals  
(2006) *Optics Letters*, 31 (12), pp. 1782-1784. Cited 5 times.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-33745916468&partnerID=40>  
DOCUMENT TYPE: Article  
SOURCE: Scopus

Øverby, H., Stol, N.  
QoS differentiation in asynchronous bufferless optical packet switched networks  
(2006) *Wireless Networks*, 12 (3), pp. 383-394.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-33646744918&partnerID=40>  
DOCUMENT TYPE: Article  
SOURCE: Scopus

Miao, B., Shi, S., Murakowski, J., Chen, C., Prather, D.W.  
Fabrication and characterization of AlGaAs/GaAs multiquantum well ring lasers  
(2006) *Proceedings of SPIE - The International Society for Optical Engineering*, 6123, art. no. 61230Z, .  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-33646737620&partnerID=40>  
DOCUMENT TYPE: Conference Paper  
SOURCE: Scopus

Porzi, C., Poti, L., Bogoni, A., Guina, M., Okhotnikov, O.  
All-optical wavelength conversion in a vertical cavity semiconductor switch  
(2006) *Proceedings of SPIE - The International Society for Optical Engineering*, 6116, art. no. 61160P, .  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-33646202969&partnerID=40>  
DOCUMENT TYPE: Conference Paper  
SOURCE: Scopus

Chang, G.-K., Yu, J., Yeo, Y.-K., Chowdhury, A., Jia, Z.  
Enabling technologies for next-generation optical packet-switching networks  
(2006) *Proceedings of the IEEE*, 94 (5), pp. 892-909. Cited 12 times.

<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-33847656432&partnerID=40>  
DOCUMENT TYPE: Article  
SOURCE: Scopus

García-Vidal, J., March, M., Cerdà, L., Corbal, J., Valero, M.  
A DRAM/SRAM memory scheme for fast packet buffers  
(2006) *IEEE Transactions on Computers*, 55 (5), pp. 588-602. Cited 2 times.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-33645816351&partnerID=40>  
DOCUMENT TYPE: Article  
SOURCE: Scopus

Raffaelli, C., Zaffoni, P.  
TCP performance in optical packet-switched networks  
(2006) *Photonic Network Communications*, 11 (3), pp. 243-252. Cited 2 times.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-33646406562&partnerID=40>  
DOCUMENT TYPE: Article  
SOURCE: Scopus

Callegati, F., Cerroni, W., Raffaelli, C., Savi, M.  
QoS differentiation in optical packet-switched networks  
(2006) *Computer Communications*, 29 (7), pp. 855-864.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-33646138473&partnerID=40>  
DOCUMENT TYPE: Article  
SOURCE: Scopus

Li, Y., Xiao, G., Ghafouri-Shiraz, H.  
A new contention-resolution scheme for time-critical applications in multifiber optical packet-switched networks  
(2006) *Microwave and Optical Technology Letters*, 48 (4), pp. 717-719. Cited 1 time.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-33646010625&partnerID=40>  
DOCUMENT TYPE: Article  
SOURCE: Scopus

Van Caenegem, R., Martínez, J.M., Colle, D., Pickavet, M., Demeester, P., Ramos, F., Martí, J.  
From IP over WDM to all-optical packet switching: Economical view  
(2006) *Journal of Lightwave Technology*, 24 (4), pp. 1638-1645. Cited 14 times.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-33645806981&partnerID=40>  
DOCUMENT TYPE: Article  
SOURCE: Scopus

Laevens, K., Moeneclaey, M., Bruneel, H.  
Queueing analysis of a single-wavelength Fiber-Delay-Line buffer  
(2006) *Telecommunication Systems*, 31 (2-3), pp. 259-287. Cited 3 times.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-33645573697&partnerID=40>  
DOCUMENT TYPE: Article

SOURCE: Scopus

Ling, Y., Qiu, K., Zheng, M.  
Separation and insertion of optical bit-serial label in optical packet switching  
(2006) Chinese Optics Letters, 4 (3), pp. 138-140. Cited 2 times.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-33646721402&partnerID=40>  
DOCUMENT TYPE: Article  
SOURCE: Scopus

Bouabdallah, N., Beylot, A.-L., Pujolle, G.  
Efficient bandwidth sharing and fair access in single-hub WDM rings  
(2006) Computer Networks, 50 (2), pp. 237-250.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-27944503451&partnerID=40>  
DOCUMENT TYPE: Article  
SOURCE: Scopus

Yasui, T., Takahashi, R., Kondo, N., Nakahara, T., Suzuki, H.  
Ultrafast all-optical pattern matching using differential spin excitation and its application to bypass/drop self-routing for asynchronous optical packets  
(2006) Journal of Lightwave Technology, 24 (2), pp. 723-732. Cited 4 times.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-33847667717&partnerID=40>  
DOCUMENT TYPE: Article  
SOURCE: Scopus

Ngo, H.Q., Pan, D., Qiao, C.  
Constructions and analyses of nonblocking WDM switches based on arrayed waveguide grating and limited wavelength conversion  
(2006) IEEE/ACM Transactions on Networking, 14 (1), pp. 205-217. Cited 6 times.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-33144463979&partnerID=40>  
DOCUMENT TYPE: Article  
SOURCE: Scopus

Yeo, Y.-K., Yu, J., Chang, G.-K.  
Performance characterization and optimization of high-speed ON-OFF optical-signal reflectors in a folded-path time-delay buffer  
(2006) Journal of Lightwave Technology, 24 (1), pp. 365-378. Cited 2 times.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-33947653736&partnerID=40>  
DOCUMENT TYPE: Article  
SOURCE: Scopus

Luo, H., Hu, G., Li, L.  
Burstification queue management in optical burst switching networks  
(2006) Photonic Network Communications, 11 (1), pp. 87-97.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-31144461900&partnerID=40>  
DOCUMENT TYPE: Article  
SOURCE: Scopus

Hsueh, Y.-L., Kim, J., Su, C.-F., Rabbat, R., Hamada, T., Tian, C., Kazovsky, L.G.

Traffic grooming on WDM rings using optical burst transport  
(2006) *Journal of Lightwave Technology*, 24 (1), pp. 44-52. Cited 18 times.

<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-33947369540&partnerID=40>

DOCUMENT TYPE: Article

SOURCE: Scopus

Liboiron-Ladouceur, O., Small, B.A., Bergman, K.

Physical layer scalability of WDM optical packet interconnection networks

(2006) *Journal of Lightwave Technology*, 24 (1), pp. 262-270. Cited 18 times.

<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-33847330900&partnerID=40>

DOCUMENT TYPE: Article

SOURCE: Scopus

Chaitou, M., Hébuterne, G., Castel, H.

On aggregation in almost all optical networks

(2005) 2005 International Conference on Wireless and Optical Communications Networks, pp. 210-216.

<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-28344448585&partnerID=40>

DOCUMENT TYPE: Conference Paper

SOURCE: Scopus

Sheth, N., Hughes, L.

Router design for optical Cartesian Networks

(2005) Proceedings of the 3rd Annual Communication Networks and Services Research Conference, 2005, art. no. 1429938, pp. 9-15.

<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-33746577406&partnerID=40>

DOCUMENT TYPE: Conference Paper

SOURCE: Scopus

Yan, N., Monroy, I.T., Koonen, T.

All-optical label swapping node architectures and contention resolution

(2005) 2005 Conference on Optical Network Design and Modelling: Towards the broadband-for-all era, ONDM 2005, 2005, art. no. 1426993, pp. 115-123.

<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-33748871514&partnerID=40>

DOCUMENT TYPE: Conference Paper

SOURCE: Scopus

Qiu, Y., Ji, Y., Xu, D.

A new access protocol for optical burst switching ring networks with tunable transmitters and fixed receivers

(2005) Proceedings of SPIE - The International Society for Optical Engineering, 6021 I, art. no. 602113, .

<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-33645001608&partnerID=40>

DOCUMENT TYPE: Conference Paper

SOURCE: Scopus

Qiu, Y., Ji, Y., Xu, D.  
Self-similar traffic and burst assembly algorithm analysis of an OBS  
edge router  
(2005) Proceedings of SPIE - The International Society for Optical  
Engineering, 6021 I, art. no. 60210V, .  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-33645006689&partnerID=40>  
DOCUMENT TYPE: Conference Paper  
SOURCE: Scopus

Xiao, S., Zeng, Q., Hu, W., Jin, Y., Jiang, C., Guo, W., Yang, J., Sui,  
Z., Heng, Z., Liang, Z.  
Study on keys of optical coarse packet switching based on optical  
multi-wavelengths label routing  
(2005) Proceedings of SPIE - The International Society for Optical  
Engineering, 6021 I, art. no. 602103, .  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-33645015056&partnerID=40>  
DOCUMENT TYPE: Conference Paper  
SOURCE: Scopus

Ye, Y., Woesner, H., Grasso, R., Chen, T., Chlamtac, I.  
Traffic grooming in light trail networks  
(2005) GLOBECOM - IEEE Global Telecommunications Conference, 4, art.  
no. 1578008, pp. 1957-1962. Cited 4 times.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-33749482380&partnerID=40>  
DOCUMENT TYPE: Conference Paper  
SOURCE: Scopus

Xu, B., Zhang, C.  
Concatenated code-based bit rate adaptation for blocking probability  
reduction in WDM networks  
(2005) 2005 International Conference on Communications, Circuits and  
Systems - Proceedings, 1, art. no. OB-05.0(#04\_06\_02), pp. 575-579.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-29844432871&partnerID=40>  
DOCUMENT TYPE: Conference Paper  
SOURCE: Scopus

Scopus

EXPORT DATE: 12 February 2009

Ii, G.Y., Abdullah, M.K., Khatun, S., Ali, B.M.  
Prioritized scheduling for bufferless slotted WDM optical packet switch  
via wavelength conversion  
(2005) The 7th International Conference on Advanced Communication  
Technology, ICACT 2005, 1, art. no. 1461803, pp. 320-323.

<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-33745009472&partnerID=40>  
DOCUMENT TYPE: Conference Paper  
SOURCE: Scopus

Mello, D.A.A., Schupke, D.A., Scheffel, M., Waldman, H.  
Availability maps for connections in WDM optical networks  
(2005) Proceedings - 2005 DRCN: 5th International Workshop on Design of Reliable Communication Networks - "Reliable Networks for Reliable Services", 2005, art. no. 1563847, pp. 77-84. Cited 4 times.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-33846276944&partnerID=40>  
DOCUMENT TYPE: Conference Paper  
SOURCE: Scopus

Yuang, M.C., Tien, P.-L., Shih, J., Lee, S.S.W., Lin, Y.-M., Chen, Y., Tsai, F., Chen, A.  
QoS contention control for optical coarse packet switched IP-over-WDM network  
(2005) ITRE 2005 - 3rd International Conference on Information Technology: Research and Education - Proceedings, 2005, art. no. 1503104, pp. 211-215.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-33745726027&partnerID=40>  
DOCUMENT TYPE: Conference Paper  
SOURCE: Scopus

Gauger, C.M.  
Optical burst switching - The network perspective  
(2005) Proceedings of SPIE - The International Society for Optical Engineering, 6021 I, art. no. 60210T, .  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-33645006131&partnerID=40>  
DOCUMENT TYPE: Conference Paper  
SOURCE: Scopus

Bouabdallah, N., Perros, H., Pujolle, G.  
A cost-effective traffic aggregation scheme in all-optical networks  
(2005) GLOBECOM - IEEE Global Telecommunications Conference, 4, art. no. 1578036, pp. 2107-2112.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-33846648487&partnerID=40>  
DOCUMENT TYPE: Conference Paper  
SOURCE: Scopus

Farahmand, F., Jue, J., Vokkarane, V., Rodrigues, J.J.P.C., Freire, M.M.  
A layered architecture for supporting optical burst switching  
(2005) Proceedings - Advanced Industrial Conference on Telecommunications/Service Assurance with Partial and Intermittent Resources Conference/E-Learning on Telecommunications Workshop AICT/SAPIR/ELETE 2005, 2005, art. no. 1517631, pp. 213-218. Cited 1 time.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-33751015762&partnerID=40>  
DOCUMENT TYPE: Conference Paper  
SOURCE: Scopus

Hu, G., Muretto, G., Querzola, F., Gauger, C., Raffaelli, C.  
Traffic and performance analysis of optical packet/burst assembly with self similar traffic  
(2005) Proceedings of 2005 7th International Conference on Transparent Optical Networks, ICTON 2005, 1, art. no. 1505783, pp. 189-192.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-33745697797&partnerID=40>  
DOCUMENT TYPE: Conference Paper  
SOURCE: Scopus

Arima, S., Tachibana, T., Kasahara, S.  
FEC-based burst loss recovery for multiple-bursts transmission in optical burst switching networks  
(2005) GLOBECOM - IEEE Global Telecommunications Conference, 4, art. no. 1578027, pp. 2057-2061. Cited 1 time.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-33846600410&partnerID=40>  
DOCUMENT TYPE: Conference Paper  
SOURCE: Scopus

Yu, J., Chang, G.-K.  
Recent progress in broadband optical access and packet switched core networking technologies  
(2005) Proceedings of SPIE - The International Society for Optical Engineering, 6022 I, art. no. 602210, .  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-33645000495&partnerID=40>  
DOCUMENT TYPE: Conference Paper  
SOURCE: Scopus

Jin, M., Yang, O., Zhang, Y., Rahbar, A.G.P., Yang, W.  
Applying time-division multiplexing in star-based optical networks  
(2005) Canadian Conference on Electrical and Computer Engineering, 2005, art. no. 1557178, pp. 1141-1144.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-33751351689&partnerID=40>  
DOCUMENT TYPE: Conference Paper  
SOURCE: Scopus

Klonidis, D., Politi, C.T., Nejabati, R., Simeonidou, D., MichaelO, M.  
Designing a high speed optical packet switched network  
(2005) Proceedings of 2005 7th International Conference on Transparent Optical Networks, ICTON 2005, 1, pp. 245-251.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-33745619806&partnerID=40>  
DOCUMENT TYPE: Conference Paper  
SOURCE: Scopus

Matsuda, H., Yasui, T., Mouri, T.  
Pair controlled photonic switch fabric architecture  
(2005) Proceedings of SPIE - The International Society for Optical Engineering, 5970 II, art. no. 59702G, .  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-33244474196&partnerID=40>  
DOCUMENT TYPE: Conference Paper  
SOURCE: Scopus

Rahbar, A.G.P., Yang, O.  
Contention avoidance in slotted optical networks  
(2005) Proceedings of SPIE - The International Society for Optical Engineering, 5970 II, art. no. 59702F, . Cited 2 times.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-33244478054&partnerID=40>  
DOCUMENT TYPE: Conference Paper  
SOURCE: Scopus

Al Zahr, S., Gagnaire, M., Puech, N., Koubàa, M.  
Physical layer impairments in WDM core networks: A comparison between a North-American backbone and a Pan-European backbone  
(2005) 2nd International Conference on Broadband Networks, BROADNETS 2005, 2005, art. no. 1589754, pp. 335-340.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-33847078457&partnerID=40>  
DOCUMENT TYPE: Conference Paper  
SOURCE: Scopus

Callegati, F., Muretto, G., Raffaelli, C., Zaffoni, P., Cerroni, W.  
A framework for performance evaluation of OPS congestion resolution  
(2005) 2005 Conference on Optical Network Design and Modelling: Towards the broadband-for-all era, ONDM 2005, 2005, art. no. 1427007, pp. 243-250. Cited 1 time.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-33748864579&partnerID=40>  
DOCUMENT TYPE: Conference Paper  
SOURCE: Scopus

Callegati, F., Cerroni, W., Raffaelli, C.  
Routing techniques in optical packet-switched networks  
(2005) Proceedings of 2005 7th International Conference on Transparent Optical Networks, ICTON 2005, 1, art. no. 1505780, pp. 175-178.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-33745725829&partnerID=40>  
DOCUMENT TYPE: Conference Paper  
SOURCE: Scopus

Øverby, H., Stol, N., Bjørnstad, S.  
Dependability differentiation in optical packet switched networks  
(2005) Proceedings of 2005 7th International Conference on Transparent Optical Networks, ICTON 2005, 1, art. no. 1505827, pp. 385-388. Cited 2 times.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-33745725803&partnerID=40>  
DOCUMENT TYPE: Conference Paper  
SOURCE: Scopus

Øverby, H.  
Fairness in optical packet switched metro ring networks  
(2005) Proceedings of 2005 7th International Conference on Transparent Optical Networks, ICTON 2005, 1, pp. 62-66.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-33745610724&partnerID=40>  
DOCUMENT TYPE: Conference Paper  
SOURCE: Scopus

Gauger, C.M., Mukherjee, B.  
Why we should consider virtual topologies for OBS  
(2005) 2nd International Conference on Broadband Networks, BROADNETS  
2005, 2005, art. no. 1589722, pp. 123-126.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-33847025694&partnerID=40>  
DOCUMENT TYPE: Conference Paper  
SOURCE: Scopus

Gauger, C.M., Mukherjee, B.  
Optical Burst Transport Network (OBTN) - A novel architecture for  
efficient transport of optical burst data over Lambda grids  
(2005) 2005 Workshop on High Performance Switching and Routing, HPSR  
2005, pp. 58-62. Cited 1 time.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-27644576772&partnerID=40>  
DOCUMENT TYPE: Conference Paper  
SOURCE: Scopus

Landais, P., Renaudier, J., Duan, G.-H.  
Phase correlation in self-pulsation distributed Bragg reflector laser  
(2005) Proceedings of SPIE - The International Society for Optical  
Engineering, 5825, art. no. 15, pp. 107-117.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-27644595558&partnerID=40>  
DOCUMENT TYPE: Conference Paper  
SOURCE: Scopus

Pavón-Mariño, P., López-Bravo, C., García-Haro, J., González-Castaño,  
F.J.  
Knockout packet loss probability analysis of SCWP Optical Packet  
Switching wavelength distributed knockout architecture  
(2005) Proceedings - IEEE Symposium on Computers and Communications,  
pp. 524-531.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-27544477228&partnerID=40>  
DOCUMENT TYPE: Conference Paper  
SOURCE: Scopus

Enning, B.  
Signal processing in a Mach-Zehnder intensity modulator for coherent  
and incoherent light using copropagating and counterpropagating  
electrical signals  
(2005) IEEE Photonics Technology Letters, 17 (11), pp. 2424-2426. Cited  
1 time.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-27744467179&partnerID=40>  
DOCUMENT TYPE: Article  
SOURCE: Scopus

Øverby, H.  
Packet loss rate differentiation in slotted optical packet switched  
networks  
(2005) IEEE Photonics Technology Letters, 17 (11), pp. 2469-2471. Cited  
3 times.

<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-27744463205&partnerID=40>  
DOCUMENT TYPE: Article  
SOURCE: Scopus

Shao, S.-K., Tsai, M.-G., Tsao, H.-W., Sreedevi, P., Reddy Perati, M., Wu, J.

Performance evaluation of feedback type WDM optical routers under asynchronous and variable packet length self-similar traffic (2005) *IEICE Transactions on Communications*, E88-B (3), pp. 1072-1083. Cited 2 times.

<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-24144435394&partnerID=40>  
DOCUMENT TYPE: Review  
SOURCE: Scopus

Xu, B.

Concatenated codes-based bit-rate adaptation for blocking probability reduction in WDM networks (2005) *IEEE Photonics Technology Letters*, 17 (9), pp. 1983-1985. Cited 1 time.

<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-27144440029&partnerID=40>  
DOCUMENT TYPE: Article  
SOURCE: Scopus

Bouabdallah, N., Beylot, A.-L., Dotaro, E., Pujolle, G.

Resolving the fairness issues in bus-based optical access networks (2005) *IEEE Journal on Selected Areas in Communications*, 23 (8), pp. 1444-1457. Cited 11 times.

<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-24344505490&partnerID=40>  
DOCUMENT TYPE: Article  
SOURCE: Scopus

Eramo, V., Listanti, M., Valletta, A.

Advantages of hybrid input/output wavelength conversion in Optical Packet Switches

(2005) *Photonic Network Communications*, 10 (2), pp. 233-252.

<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-23944500394&partnerID=40>  
DOCUMENT TYPE: Article  
SOURCE: Scopus

Eramo, V., Listanti, M., Valletta, A.

Scheduling algorithms in optical packet switches with input wavelength conversion

(2005) *Computer Communications*, 28 (12), pp. 1456-1467. Cited 1 time.

<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-21844450479&partnerID=40>  
DOCUMENT TYPE: Article  
SOURCE: Scopus

Wang, Y., Hu, W., Su, Y., Zheng, Z., Leng, L., Zhu, B., Hu, P., Guo, W., Jin, Y.

Impact of cascaded thin-film filters on metro networks employing NRZ, LPF-DB, and CSRZ formats

(2005) Chinese Optics Letters, 3 (7), pp. 386-388. Cited 1 time.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-23044441371&partnerID=40>  
DOCUMENT TYPE: Article  
SOURCE: Scopus

Vanderbauwhede, W.A., Harle, D.A.  
Architecture, design, and modeling of the OPSnet asynchronous optical packet switching node  
(2005) Journal of Lightwave Technology, 23 (7), pp. 2215-2228. Cited 6 times.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-23144433311&partnerID=40>  
DOCUMENT TYPE: Article  
SOURCE: Scopus

Øverby, H., Stol, N.  
Providing absolute QoS in asynchronous bufferless optical packet/burst switched networks with the adaptive preemptive drop policy  
(2005) Computer Communications, 28 (9), pp. 1038-1049.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-17644377893&partnerID=40>  
DOCUMENT TYPE: Article  
SOURCE: Scopus

Dorren, H.J.S., Hill, M.T., Liu, Y., Calabretta, N., Geldenhuys, R., Khoe, G.D.  
All-optical header processing and optical buffering for optical packet switching networks  
(2005) Proceedings of SPIE - The International Society for Optical Engineering, 5626 (PART 1), art. no. 16, pp. 123-136.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-18944369334&partnerID=40>  
DOCUMENT TYPE: Conference Paper  
SOURCE: Scopus

Kang, J., Reed, M.J.  
A scalable control plane for optical packet switched networks  
(2005) Proceedings of SPIE - The International Society for Optical Engineering, 5626 (PART 2), art. no. 166, pp. 1155-1164. Cited 1 time.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-18944395872&partnerID=40>  
DOCUMENT TYPE: Conference Paper  
SOURCE: Scopus

Chia, M.C., Kalavally, V., Chin, S.H., Franzen, A.  
Buffering and scheduling of asynchronous variable length packets  
(2005) Proceedings of SPIE - The International Society for Optical Engineering, 5626 (PART 1), art. no. 61, pp. 448-456.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-18944402651&partnerID=40>  
DOCUMENT TYPE: Conference Paper  
SOURCE: Scopus

Lee, B.H.L., Salleh, M.S.B., Mohamad, R., Dimyati, K.  
Packet router architecture with multicasting capability for future optical networking

(2005) Proceedings of SPIE - The International Society for Optical Engineering, 5625 (PART 1), art. no. 18, pp. 126-135.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-18944373112&partnerID=40>  
DOCUMENT TYPE: Conference Paper  
SOURCE: Scopus

Jin, M., Yang, O.W.W.  
Parameter choices and their effect on the performance of an OBS network  
(2005) Proceedings of SPIE - The International Society for Optical Engineering, 5625 (PART 2), art. no. 100, pp. 672-681.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-18944363433&partnerID=40>  
DOCUMENT TYPE: Conference Paper  
SOURCE: Scopus

Gauger, C.M., Köhn, M., Zhang, J., Mukherjee, B.  
Network performance of optical burst/packet switching: The impact of dimensioning, routing and contention resolution  
(2005) ITG-Fachbericht, (186), pp. 145-152.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-18744393148&partnerID=40>  
DOCUMENT TYPE: Article  
SOURCE: Scopus

Fan, C., Adams, S., Reisslein, M.  
The FTA-FRA AWG network: A practical single-hop metro WDM network for efficient uni- and multicasting  
(2005) Journal of Lightwave Technology, 23 (3), pp. 937-954. Cited 1 time.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-18144386577&partnerID=40>  
DOCUMENT TYPE: Article  
SOURCE: Scopus

Pattavina, A.  
Architectures and performance of optical packet switching nodes for IP networks  
(2005) Journal of Lightwave Technology, 23 (3), pp. 1023-1032. Cited 6 times.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-18144393471&partnerID=40>  
DOCUMENT TYPE: Article  
SOURCE: Scopus

Wei, W., Zeng, Q., Ouyang, Y., Lomone, D.  
High-performance hybrid-switching optical router for IP over WDM integration  
(2005) Photonic Network Communications, 9 (2), pp. 139-155. Cited 3 times.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-13744260688&partnerID=40>  
DOCUMENT TYPE: Article  
SOURCE: Scopus

Wang, Y., Hu, W., Su, Y., Zheng, Z., Leng, L., Tian, X., Jin, Y.

Performance study of 40-Gb/s RZ signals through cascaded thin-film filters with large dispersion slope

(2005) *Optics Express*, 13 (6), pp. 2176-2181. Cited 1 time.

<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-17444394035&partnerID=40>

DOCUMENT TYPE: Article

SOURCE: Scopus

Øverby, H.

Performance modelling of optical packet switched networks with the Engset traffic model

(2005) *Optics Express*, 13 (5), pp. 1685-1695. Cited 8 times.

<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-17444430878&partnerID=40>

DOCUMENT TYPE: Article

SOURCE: Scopus

Eramo, V., Listanti, M., Spaziani, M.

Resources sharing in optical packet switches with limited-range wavelength converters

(2005) *Journal of Lightwave Technology*, 23 (2), pp. 671-687. Cited 26 times.

<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-15744405802&partnerID=40>

DOCUMENT TYPE: Article

SOURCE: Scopus

Sang, X.-Z., Yu, C.-X., Zhang, Q., Wang, X.

Parametric wavelength conversion based on a holey fiber

(2005) *Zhongguo Jiguang/Chinese Journal of Lasers*, 32 (2), pp. 212-215.

<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-15744386123&partnerID=40>

DOCUMENT TYPE: Article

SOURCE: Scopus

Theophilopoulos, G., Kalyvas, M., Yiannopoulos, K., Vlachos, K.,

Varvarigos, E.A., Avramopoulos, H.

An alternative implementation perspective for the scheduling switch architecture

(2005) *Journal of Lightwave Technology*, 23 (2), pp. 732-739.

<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-15744370950&partnerID=40>

DOCUMENT TYPE: Article

SOURCE: Scopus

Houbavlis, T., Zoiros, K.E., Kalyvas, M., Theophilopoulos, G., Bintjas, C., Yiannopoulos, K., Pleros, N., Vlachos, K., Avramopoulos, H., Schares, L., Occhi, L., Guekos, G., Taylor, J.R., Hansmann, S., Miller, W.

All-Optical signal processing and applications within the Esprit project DO\_ALL

(2005) *Journal of Lightwave Technology*, 23 (2), pp. 781-801. Cited 31 times.

<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-20144385459&partnerID=40>

DOCUMENT TYPE: Article

SOURCE: Scopus

Naruse, M., Miyazaki, T., Kubota, F., Kawazoe, T., Kobayashi, K., Sangu, S., Ohtsu, M.

Nanometric summation architecture based on optical near-field interaction between quantum dots

(2005) *Optics Letters*, 30 (2), pp. 201-203. Cited 15 times.

<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-12844281106&partnerID=40>

DOCUMENT TYPE: Article

SOURCE: Scopus

Pattavina, A.

Multi-wavelength switching in IP optical nodes adopting different buffering strategies

(2005) *Optical Switching and Networking*, 1 (1), pp. 65-75. Cited 1 time.

<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-33748494901&partnerID=40>

DOCUMENT TYPE: Article

SOURCE: Scopus

Raffaelli, C., Zaffoni, P.

Effects of slotted optical packet assembly on end-to-end performance

(2004) *Lecture Notes in Computer Science (including subseries Lecture Notes in Artificial Intelligence and Lecture Notes in Bioinformatics)*, 3079, pp. 766-775.

<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-35048847455&partnerID=40>

DOCUMENT TYPE: Article

SOURCE: Scopus

Lim, H., Park, C.-S.

A novel scheduling algorithm based on both queue ends and voids for contention resolution of overflow packets in the optical packet switch with hybrid buffer structure

(2004) *Proceedings of the Fourth IASTED International Multi-Conference on Wireless and Optical Communications*, art. no. 423-037, pp. 721-726.

<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-11144300722&partnerID=40>

DOCUMENT TYPE: Conference Paper

SOURCE: Scopus

Bjornstad, S.

Packet switched hybrid optical networks

(2004) *Proceedings of 2004 6th International Conference on Transparent Optical Networks*, 1, pp. 29-32.

<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-11244255451&partnerID=40>

DOCUMENT TYPE: Conference Paper

SOURCE: Scopus

Nishimura, K., Asai, T., Yazaki, T., Inohara, R., Usami, M.

Control pulse propagation direction dependence of cross-gain and cross-phase modulation induced in semiconductor optical amplifier

(2004) *Conference Proceedings - International Conference on Indium Phosphide and Related Materials*, pp. 411-414. Cited 1 time.

<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-23744438126&partnerID=40>  
DOCUMENT TYPE: Conference Paper  
SOURCE: Scopus

Oøverby, H.  
Performance modelling of synchronous bufferless OPS networks  
(2004) Proceedings of 2004 6th International Conference on Transparent Optical Networks, 1, pp. 22-28. Cited 3 times.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-11244294645&partnerID=40>  
DOCUMENT TYPE: Conference Paper  
SOURCE: Scopus

Yang, Y., Wang, J.  
Designing WDM optical interconnects with full connectivity by using limited wavelength conversion  
(2004) IEEE Transactions on Computers, 53 (12), pp. 1547-1556. Cited 24 times.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-11244299481&partnerID=40>  
DOCUMENT TYPE: Article  
SOURCE: Scopus

Blumenthal, D.J.  
Optical packet switching  
(2004) Conference Proceedings - Lasers and Electro-Optics Society Annual Meeting-LEOS, 2, pp. 910-912. Cited 17 times.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-14544274135&partnerID=40>  
DOCUMENT TYPE: Conference Paper  
SOURCE: Scopus

Huang, A., Xie, L., Li, J., Li, Z., Xu, A.  
Novel model of resolving contention in optical burst switched networks  
(2004) High Technology Letters, 10 (4), pp. 6-10.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-14344265655&partnerID=40>  
DOCUMENT TYPE: Article  
SOURCE: Scopus

Yang, Y., Wang, J.  
Designing WDM optical interconnects with full connectivity by using limited wavelength conversion  
(2004) Proceedings - International Parallel and Distributed Processing Symposium, IPDPS 2004 (Abstracts and CD-ROM), 18, pp. 481-490.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-12444253945&partnerID=40>  
DOCUMENT TYPE: Conference Paper  
SOURCE: Scopus

Oøverby, H.  
QoS in slotted bufferless optical packet switched networks  
(2004) Proceedings of 2004 6th International Conference on Transparent Optical Networks, 2, pp. 334-337.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-11244311673&partnerID=40>

DOCUMENT TYPE: Conference Paper  
SOURCE: Scopus

Lu, B., Yang, X., Zhang, M., Jiang, H., Li, L.  
An efficient contention resolution based on FDL and TWC for OPS networks  
(2004) 2004 Joint Conference of the 10th Asia-Pacific Conference on Communications and the 5th International Symposium on Multi-Dimensional Mobile Communications Proceedings, APCC/MDMC'04, 1, pp. 391-395.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-18844377158&partnerID=40>  
DOCUMENT TYPE: Conference Paper  
SOURCE: Scopus

Singhai, M., Mehrotra, P., Hamilton, P., Pratt, M., Cassada, M., Stevenson, D.  
A high speed Network Interface Card for Optical Burst Switched networks  
(2004) Proceedings - First International Conference on Broadband Networks, BroadNets 2004, pp. 14-23.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-19544376979&partnerID=40>  
DOCUMENT TYPE: Conference Paper  
SOURCE: Scopus

Callegati, F., Cerroni, W., Muretto, G., Raffaelli, C., Zaffoni, P.  
QoS routing in DWDM optical packet networks  
(2004) Lecture Notes in Computer Science (including subseries Lecture Notes in Artificial Intelligence and Lecture Notes in Bioinformatics), 3266, pp. 247-256.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-35048860378&partnerID=40>  
DOCUMENT TYPE: Article  
SOURCE: Scopus

Dittmann, L.  
Optical packet networks - Conclusions from the IST DAVID project  
(2004) OSA Trends in Optics and Photonics Series, 95 A, pp. 560-562.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-8744297316&partnerID=40>  
DOCUMENT TYPE: Conference Paper  
SOURCE: Scopus

Lackovic, M., Bungarzeanu, C.  
Modeling and performance analysis of IP access interface in optical packet switched networks  
(2004) Proceedings of the Mediterranean Electrotechnical Conference - MELECON, 2, pp. 515-518.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-8744317836&partnerID=40>  
DOCUMENT TYPE: Conference Paper  
SOURCE: Scopus

Yeo, Y.-K., Yu, J., Chang, G.-K.  
A dynamically reconfigurable folded-path time delay buffer for optical packet switching  
(2004) IEEE Photonics Technology Letters, 16 (11), pp. 2559-2561. Cited 25 times.

<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-7744223590&partnerID=40>  
DOCUMENT TYPE: Article  
SOURCE: Scopus

Kehayas, E., Kanellos, G.T., Stampoulidis, L., Tsiokos, D., Pleros, N., Guekos, G., Avramopoulos, H.  
Packet-format and network-traffic transparent optical signal processing  
(2004) *Journal of Lightwave Technology*, 22 (11), pp. 2548-2556. Cited 9 times.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-9244224669&partnerID=40>  
DOCUMENT TYPE: Article  
SOURCE: Scopus

Bouabdallah, N., Dotaro, E., Ciavaglia, L., Le Sauze, N., Pujolle, G.  
Resolving the fairness issue in bus-based optical access networks  
(2004) *IEEE Communications Magazine*, 42 (11), pp. S12-S18. Cited 8 times.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-9244257330&partnerID=40>  
DOCUMENT TYPE: Article  
SOURCE: Scopus

Øverby, H., Stol, N.  
Quality of service in asynchronous bufferless optical packet switched networks  
(2004) *Telecommunication Systems*, 27 (2-4), pp. 151-179. Cited 5 times.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-4444242259&partnerID=40>  
DOCUMENT TYPE: Article  
SOURCE: Scopus

Øverby, H.  
Network layer packet redundancy in optical packet switched networks  
(2004) *Optics Express*, 12 (20), pp. 4881-4895. Cited 3 times.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-9144265852&partnerID=40>  
DOCUMENT TYPE: Article  
SOURCE: Scopus

Develder, C., Van Houdt, B., Blondia, C., Pickavet, M., Demeester, P.  
Analytical MMAP-based bounds for packet loss in optical packet switching with recirculating FDL buffers  
(2004) *Photonic Network Communications*, 8 (2), pp. 149-161.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-3142744602&partnerID=40>  
DOCUMENT TYPE: Article  
SOURCE: Scopus

De Miguel, I., González, J.C., Koonen, T., Durán, R., Fernández, P., Monroy, I.T.  
Polymorphic architectures for optical networks and their seamless evolution towards next generation networks  
(2004) *Photonic Network Communications*, 8 (2), pp. 177-189. Cited 3 times.

<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-3142777084&partnerID=40>  
DOCUMENT TYPE: Article  
SOURCE: Scopus

Callegati, F., Cerroni, W., Corazza, G., Davelder, C., Pickavet, M., Demeester, P.  
Scheduling algorithms for a slotted packet switch with either fixed or variable length packets  
(2004) *Photonic Network Communications*, 8 (2), pp. 163-176. Cited 7 times.

<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-3142759372&partnerID=40>  
DOCUMENT TYPE: Article  
SOURCE: Scopus

Fang, J., He, W., Somani, A.K.  
Optimal light trail design in WDM optical networks  
(2004) *IEEE International Conference on Communications*, 3, pp. 1699-1703. Cited 12 times.

<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-4143150900&partnerID=40>  
DOCUMENT TYPE: Conference Paper  
SOURCE: Scopus

Tan, S.K., Mohan, G., Chua, K.C.  
Link scheduling state information based offset management for fairness improvement in WDM optical burst switching networks  
(2004) *Computer Networks*, 45 (6), pp. 819-834. Cited 2 times.

<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-3142611594&partnerID=40>  
DOCUMENT TYPE: Article  
SOURCE: Scopus

Li, P., Zhang, X., Zheng, Z., Huang, D.  
Simultaneous demonstration on 10 Gb/s wavelength conversion four-wave mixing and cross-gain modulation in semiconductor optical amplifier  
(2004) *Optica Applicata*, 34 (1), pp. 43-49.

<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-3843086138&partnerID=40>  
DOCUMENT TYPE: Article  
SOURCE: Scopus

Landais, P., Renaudier, J., Gallion, P., Duan, G.-H.  
Analysis of self-pulsation in a distributed Bragg reflector laser based on four-wave mixing  
(2004) *Proceedings of SPIE - The International Society for Optical Engineering*, 5349, pp. 262-270. Cited 2 times.

<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-3543056415&partnerID=40>  
DOCUMENT TYPE: Conference Paper  
SOURCE: Scopus

He, J., Chan, S.-H.G.  
TCP and UDP performance for Internet over optical packet-switched networks  
(2004) *Computer Networks*, 45 (4), pp. 505-521. Cited 2 times.

<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-2642566898&partnerID=40>  
DOCUMENT TYPE: Article  
SOURCE: Scopus

Kang, J., Reed, M.J.  
Traffic grooming in WDM networks using optical packet switches  
(2004) Proceedings of SPIE - The International Society for Optical Engineering, 5282 (1), pp. 215-225.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-3042643192&partnerID=40>  
DOCUMENT TYPE: Conference Paper  
SOURCE: Scopus

Takahashi, R.  
Recent progress in optical packet processing technologies for optical packet-switched networks  
(2004) NTT Technical Review, 2 (7), pp. 12-22. Cited 3 times.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-4644350149&partnerID=40>  
DOCUMENT TYPE: Review  
SOURCE: Scopus

Frederick, M.T., VanderHorn, N.A., Somani, A.K.  
Light trails: A sub-wavelength solution for optical networking  
(2004) IEEE Workshop on High Performance Switching and Routing, HPSR, pp. 175-179. Cited 1 time.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-2942592318&partnerID=40>  
DOCUMENT TYPE: Conference Paper  
SOURCE: Scopus

Lim, H., Park, C.-S.  
An optical packet switch with hybrid buffer structure for contention resolution of asynchronous variable length packets  
(2004) IEEE Workshop on High Performance Switching and Routing, HPSR, pp. 162-166.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-2942564142&partnerID=40>  
DOCUMENT TYPE: Conference Paper  
SOURCE: Scopus

Lim, H., Park, C.-S.  
Performance evaluation of the optical packet switch with hybrid buffer structure for the contention resolution of asynchronous variable length packets  
(2004) IEICE Transactions on Communications, E87-B (5), pp. 1421-1426. Cited 6 times.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-2642580823&partnerID=40>  
DOCUMENT TYPE: Article  
SOURCE: Scopus

Baert, E., Devellder, C., Colle, D., De Turck, F., Pickavet, M., Demeester, P.  
Routing strategies to minimize packet loss in an optical packet switched network with recirculating FDL buffers

(2004) Photonic Network Communications, 7 (3), pp. 279-300. Cited 1 time.

<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-3543062877&partnerID=40>

DOCUMENT TYPE: Article

SOURCE: Scopus

Fan, C., Maier, M., Reisslein, M.

The AWG||PSC network: A performance-enhanced single-hop WDM network with heterogeneous protection

(2004) Journal of Lightwave Technology, 22 (5), pp. 1242-1262. Cited 5 times.

<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-3042529782&partnerID=40>

DOCUMENT TYPE: Article

SOURCE: Scopus

Kedar, D., Arnon, S.

Urban optical wireless communication networks: The main challenges and possible solutions

(2004) IEEE Communications Magazine, 42 (5), pp. S2-S7. Cited 30 times.

<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-2542534596&partnerID=40>

DOCUMENT TYPE: Article

SOURCE: Scopus

Kalyvas, M., Yiannopoulos, K., Houbavlis, T., Avramopoulos, H.

Control signal generation from flag pulses to drive all-optical gates

(2004) IEEE Photonics Technology Letters, 16 (4), pp. 1122-1124.

<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-1942532773&partnerID=40>

DOCUMENT TYPE: Article

SOURCE: Scopus

Øverby, H., Stol, N.

Effects of the switching time in OPS/OBS networks

(2004) Chinese Optics Letters, 2 (3), pp. 131-134. Cited 3 times.

<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-3042535841&partnerID=40>

DOCUMENT TYPE: Article

SOURCE: Scopus

Huang, J.-F., Yang, C.-C., Chou, C.-H.

Evaluations on a Buffering WDM Optical Packet Switch Equipped with Shared Wavelength Converters

(2004) Journal of Optical Communications, 25 (1), pp. 20-30. Cited 1 time.

<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-1642369381&partnerID=40>

DOCUMENT TYPE: Article

SOURCE: Scopus

Øverby, H., Stol, N.

Effects of bursty traffic in service differentiated optical packet switched networks

(2004) Optics Express, 12 (3), pp. 410-415. Cited 9 times.

<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-2942756001&partnerID=40>  
DOCUMENT TYPE: Article  
SOURCE: Scopus

Fang, W., Zhong, W.-D.  
Noise analysis of photonic packet synchronizer  
(2004) *Journal of Lightwave Technology*, 22 (2), pp. 343-350. Cited 1 time.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-1942518328&partnerID=40>  
DOCUMENT TYPE: Article  
SOURCE: Scopus

Stampoulidis, L., Yiannopoulos, K., Houbavlis, T., Avramopoulos, H.  
Generation of 40-GHz all-optical gate control signals from flag pulses  
(2004) *Optical Engineering*, 43 (1), pp. 14-15.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-1642587791&partnerID=40>  
DOCUMENT TYPE: Article  
SOURCE: Scopus

Zhang, M., Yang, X., Li, L.  
The performance analysis of an efficient contention resolution for optical packet switching  
(2003) *Proceedings - IEEE Military Communications Conference MILCOM*, 1, pp. 283-288. Cited 1 time.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-3142749244&partnerID=40>  
DOCUMENT TYPE: Conference Paper  
SOURCE: Scopus

Agrawal, A., Sofman, L.B., El-Bawab, T.S.  
Enhancement of Bandwidth Efficiency by Traffic Grooming in Optical Cross-Connect Based Networks  
(2003) *Proceedings of SPIE - The International Society for Optical Engineering*, 5247, pp. 196-202. Cited 1 time.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-1642473876&partnerID=40>  
DOCUMENT TYPE: Conference Paper  
SOURCE: Scopus

Udvary, E., Berceci, T.  
Optical subcarrier label swapping by semiconductor optical amplifiers  
(2003) *Journal of Lightwave Technology*, 21 (12), pp. 3221-3225. Cited 4 times.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-4544344812&partnerID=40>  
DOCUMENT TYPE: Article  
SOURCE: Scopus

Li, L., Scott, S.D., Deogun, J.S.  
Performance Analysis of WDM Optical Packet Switches with a Hybrid Buffering Architecture  
(2003) *Proceedings of SPIE - The International Society for Optical Engineering*, 5285, pp. 346-356. Cited 1 time.

<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-1242307505&partnerID=40>  
DOCUMENT TYPE: Conference Paper  
SOURCE: Scopus

Li, L., Scott, S.D., Deogun, J.S.  
A Novel Fiber Delay Line Buffering Architecture for Optical Packet Switching  
(2003) Conference Record / IEEE Global Telecommunications Conference, 5, pp. 2809-2813. Cited 9 times.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-0842331563&partnerID=40>  
DOCUMENT TYPE: Conference Paper  
SOURCE: Scopus

Sun, J.  
Theoretical study on cross-gain modulation wavelength conversion with converted signal feedback  
(2003) IEE Proceedings: Optoelectronics, 150 (6), pp. 497-502. Cited 2 times.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-0348167739&partnerID=40>  
DOCUMENT TYPE: Article  
SOURCE: Scopus

Eramo, V., Listanti, M., Tarola, M.  
Advantages of Input Wavelength Conversion in Optical Packet Switches  
(2003) Conference Record / IEEE Global Telecommunications Conference, 5, pp. 2714-2718. Cited 2 times.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-0842310005&partnerID=40>  
DOCUMENT TYPE: Conference Paper  
SOURCE: Scopus

Luo, H., Hu, G., Li, L.  
Performance evaluation of optical burst switching networks with limited number wavelength conversion  
(2003) Proceedings of SPIE - The International Society for Optical Engineering, 5281, pp. 96-101.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-2942638017&partnerID=40>  
DOCUMENT TYPE: Conference Paper  
SOURCE: Scopus

Kalyvas, M., Yiannopoulos, K., Theophilopoulos, G., Houbavlis, T., Avramopoulos, H., Guekos, G.  
All-optical packet clock generation from decision pulses  
(2003) Optical Engineering, 42 (12), pp. 3413-3414.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-1642416698&partnerID=40>  
DOCUMENT TYPE: Article  
SOURCE: Scopus

Fang, W., Zhong, W., Ghafouri-Shiraz, H., Yi, X., Lu, C.  
Impact of Inband Crosstalk Arising at the Synchronization Module of Photonic Packet Switches

(2003) Conference on Optical Fiber Communication, Technical Digest Series, 86, pp. 707-708.

<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-1642546642&partnerID=40>

DOCUMENT TYPE: Conference Paper

SOURCE: Scopus

Chang, C.-C., Shao, S.-K., Yu, C.-W., Wu, J.

A newly proposed priority switching algorithm for partially shared buffering optical packet switches under self-similar traffic

(2003) Proceedings of SPIE - The International Society for Optical Engineering, 5281, pp. 215-224.

<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-2942689924&partnerID=40>

DOCUMENT TYPE: Conference Paper

SOURCE: Scopus

Asquini, R., D'Alessandro, A., Salusti, A., Gizzi, C.

Design of a wideband tunable AWG using electro-optic polymers and push-pull electrode configuration for ultrafast photonic switching applications

(2003) Proceedings of SPIE - The International Society for Optical Engineering, 5246, pp. 323-332.

<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-1642432074&partnerID=40>

DOCUMENT TYPE: Conference Paper

SOURCE: Scopus

Pavon-Marino, P., Garcia-Haro, J., Malgosa-Sanahuja, J., Cerdan, F.  
A Performance Study of a Knock-Out Large-Scale Optical Packet Switching Architecture Under SCWP Operational Mode

(2003) IEEE Pacific RIM Conference on Communications, Computers, and Signal Processing - Proceedings, I, pp. 478-481. Cited 1 time.

<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-0142137756&partnerID=40>

DOCUMENT TYPE: Conference Paper

SOURCE: Scopus

Xue, F., Pan, Z., Bansal, Y., Cao, J., Jeon, M., Okamoto, K., Kamei, S., Akella, V., Ben Yoo, S.J.

End-to-End Contention Resolution Schemes for an Optical Packet Switching Network with Enhanced Edge Routers

(2003) Journal of Lightwave Technology, 21 (11), pp. 2595-2604. Cited 24 times.

<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-0348233462&partnerID=40>

DOCUMENT TYPE: Article

SOURCE: Scopus

Bintjas, C., Vlachos, K., Pleros, N., Avramopoulos, H.

Ultrafast Nonlinear Interferometer (UNI)-Based Digital Optical Circuits and Their Use in Packet Switching

(2003) Journal of Lightwave Technology, 21 (11), pp. 2629-2637. Cited 10 times.

<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-0347603490&partnerID=40>

DOCUMENT TYPE: Article

SOURCE: Scopus

Vlachos, K., Zhang, J., Cheyins, J., Sulur, Chi, N., Van Breusegem, E., Monroy, I.T., Jennen, J.G.L., Holm-Nielsen, P.V., Peucheret, C., O'Dowd, R., Demeester, P., Koonen, A.M.J.

An Optical IM/FSK Coding Technique for the Implementation of a Label-Controlled Arrayed Waveguide Packet Router

(2003) *Journal of Lightwave Technology*, 21 (11), pp. 2617-2628. Cited 31 times.

<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-9144267843&partnerID=40>

DOCUMENT TYPE: Article

SOURCE: Scopus

Yi, L., Ghafouri-Shiraz, H.

Contention resolution by shared wavelength converters and fiber delay lines in an optical packet switch

(2003) *Microwave and Optical Technology Letters*, 38 (5), pp. 395-398.

<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-0042196258&partnerID=40>

DOCUMENT TYPE: Article

SOURCE: Scopus

Chao, H.J., Deng, K.-L., Jing, Z.

PetaStar: A Petabit Photonic Packet Switch

(2003) *IEEE Journal on Selected Areas in Communications*, 21 (7), pp. 1096-1112. Cited 25 times.

<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-0141620326&partnerID=40>

DOCUMENT TYPE: Article

SOURCE: Scopus

Dittmann, L., Develder, C., Chiaroni, D., Neri, F., Callegati, F., Koerber, W., Stavdas, A., Renaud, M., Rafel, A., Solé-Pareta, J., Cerroni, W., Leligou, N., Dembeck, L., Mortensen, B., Pickavet, M., Le Sauze, N., Mahony, M., Berde, B., Eilenberger, G.

The European IST Project DAVID: A Viable Approach Toward Optical Packet Switching

(2003) *IEEE Journal on Selected Areas in Communications*, 21 (7), pp. 1026-1040. Cited 97 times.

<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-0141861959&partnerID=40>

DOCUMENT TYPE: Article

SOURCE: Scopus

Ramamirtham, J., Turner, J., Friedman, J.

Design of Wavelength Converting Switches for Optical Burst Switching

(2003) *IEEE Journal on Selected Areas in Communications*, 21 (7), pp. 1122-1132. Cited 13 times.

<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-0141861953&partnerID=40>

DOCUMENT TYPE: Article

SOURCE: Scopus

Bregni, S., Pattavina, A., Vegetti, G.

Architectures and Performance of AWG-Based Optical Switching Nodes for IP Networks

(2003) IEEE Journal on Selected Areas in Communications, 21 (7), pp. 1113-1121. Cited 16 times.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-0141749476&partnerID=40>  
DOCUMENT TYPE: Article  
SOURCE: Scopus

Reed, M.J.  
MPLS label space for optical packet switched networks  
(2003) IEEE International Conference on Communications, 2, pp. 1273-1277. Cited 3 times.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-0038645612&partnerID=40>  
DOCUMENT TYPE: Conference Paper  
SOURCE: Scopus

Tan, S.K., Mohan, G., Chua, K.C.  
Burst rescheduling with wavelength and last-hop FDL reassignment in WDM optical burst switching networks  
(2003) IEEE International Conference on Communications, 2, pp. 1448-1452. Cited 5 times.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-0038306567&partnerID=40>  
DOCUMENT TYPE: Conference Paper  
SOURCE: Scopus

He, J., Gary Chan, S.-H.  
TCP and UDP performance for Internet over optical packet-switched networks  
(2003) IEEE International Conference on Communications, 2, pp. 1350-1354. Cited 6 times.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-0038645592&partnerID=40>  
DOCUMENT TYPE: Conference Paper  
SOURCE: Scopus

Zoiros, K.E., Kalyvas, M., Houbavlis, T.  
The path towards all-optical packet switching in future broadband networks  
(2003) Journal of the Communications Network, 2 (3), pp. 124-129. Cited 8 times.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-14544269874&partnerID=40>  
DOCUMENT TYPE: Conference Paper  
SOURCE: Scopus

Anpeng, H., Linzhen, X.  
A Novel Segmentation and Feedback Model for Resolving Contention in Optical Burst Switching  
(2003) Photonic Network Communications, 6 (1), pp. 61-67. Cited 4 times.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-0037727751&partnerID=40>  
DOCUMENT TYPE: Article  
SOURCE: Scopus

Zhu, X., Kahn, J.M.

Queueing models of optical delay lines in synchronous and asynchronous optical packet-switching networks  
(2003) *Optical Engineering*, 42 (6), pp. 1741-1748. Cited 8 times.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-0042699877&partnerID=40>  
DOCUMENT TYPE: Article  
SOURCE: Scopus

Scheutzow, M., Maier, M., Reisslein, M., Wolisz, A.  
Wavelength reuse for efficient packet-switched transport in an AWG-based metro WDM network  
(2003) *Journal of Lightwave Technology*, 21 (6), pp. 1435-1455. Cited 17 times.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-0042921509&partnerID=40>  
DOCUMENT TYPE: Article  
SOURCE: Scopus

Zhang, M., Ye, P., Zhang, F., Zhao, Y.  
Performance analysis of homowavelength crosstalk in optical packet networks  
(2003) *Microwave and Optical Technology Letters*, 36 (6), pp. 474-479. Cited 4 times.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-0037456727&partnerID=40>  
DOCUMENT TYPE: Article  
SOURCE: Scopus

Yao, S., Mukherjee, B., Yoo, S.J.B., Dixit, S.  
A unified study of contention-resolution schemes in optical packet-switched networks  
(2003) *Journal of Lightwave Technology*, 21 (3), pp. 672-683. Cited 105 times.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-0038631846&partnerID=40>  
DOCUMENT TYPE: Conference Paper  
SOURCE: Scopus

Cinkler, T.  
Traffic and  $\lambda$ , grooming  
(2003) *IEEE Network*, 17 (2), pp. 16-21. Cited 19 times.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-0038814097&partnerID=40>  
DOCUMENT TYPE: Review  
SOURCE: Scopus

Eramo, V., Listanti, M., Pacifici, P.  
A comparison study on the number of wavelength converters needed in synchronous and asynchronous all-optical switching architectures  
(2003) *Journal of Lightwave Technology*, 21 (2), pp. 340-355. Cited 47 times.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-0037648538&partnerID=40>  
DOCUMENT TYPE: Article  
SOURCE: Scopus

Stavdas, A., Sygletos, S., O'Mahoney, M., Lee, H.L., Matrakidis, C., Dupas, A.  
IST-DAVID: Concept presentation and physical layer modeling of the metropolitan area network  
(2003) *Journal of Lightwave Technology*, 21 (2), pp. 372-383. Cited 19 times.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-0037566578&partnerID=40>  
DOCUMENT TYPE: Article  
SOURCE: Scopus

Tan, S.K., Mohan, G., Chua, K.C.  
Algorithms for burst rescheduling in WDM optical burst switching networks  
(2003) *Computer Networks*, 41 (1), pp. 41-55. Cited 7 times.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-0037437677&partnerID=40>  
DOCUMENT TYPE: Article  
SOURCE: Scopus

Kauer, M., Leuthold, J., Duelk, M., Girault, M.  
Rapidly tunable all-optical wavelength converter based on single semiconductor optical amplifier delay interferometer  
(2003) *Optical and Quantum Electronics*, 35 (2), pp. 139-146. Cited 1 time.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-0037222502&partnerID=40>  
DOCUMENT TYPE: Article  
SOURCE: Scopus

Dorren, H.J.S., Hill, M.T., Liu, Y., Calabretta, N., Srivatsa, A., Huijskens, F.M., De Waardt, H., Khoe, G.D.  
Optical packet switching and buffering by using all-optical signal processing methods  
(2003) *Journal of Lightwave Technology*, 21 (1), pp. 2-12. Cited 94 times.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-0037256022&partnerID=40>  
DOCUMENT TYPE: Article  
SOURCE: Scopus

Takada, A., Park, J.H.  
Architecture of ultrafast optical packet switching ring network  
(2002) *Journal of Lightwave Technology*, 20 (12), pp. 2306-2315. Cited 15 times.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-0037005541&partnerID=40>  
DOCUMENT TYPE: Article  
SOURCE: Scopus

Qin, X., Yang, Y.  
Nonblocking WDM switching networks with full and limited wavelength conversion  
(2002) *IEEE Transactions on Communications*, 50 (12), pp. 2032-2041. Cited 45 times.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-0036996476&partnerID=40>

DOCUMENT TYPE: Article  
SOURCE: Scopus

Bintjas, C., Pleros, N., Yiannopoulos, K., Theophilopoulos, G., Kalyvas, M., Avramopoulos, H., Guekos, G.  
All-optical packet address and payload separation  
(2002) IEEE Photonics Technology Letters, 14 (12), pp. 1728-1730. Cited 44 times.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-0036894218&partnerID=40>  
DOCUMENT TYPE: Article  
SOURCE: Scopus

Bregni, S., Guerra, G., Pattavina, A.  
Node architecture design for all-optical IP packet switching  
(2002) Conference Record / IEEE Global Telecommunications Conference, 3, pp. 2767-2771. Cited 1 time.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-0036967524&partnerID=40>  
DOCUMENT TYPE: Conference Paper  
SOURCE: Scopus

Zhu, X., Kahn, J.M.  
Queueing models of optical delay lines in synchronized optical packet-switching networks with non-uniform traffic  
(2002) Proceeding of the International Conference on Telecommunications, 1, pp. 1306-1309.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-0141708012&partnerID=40>  
DOCUMENT TYPE: Conference Paper  
SOURCE: Scopus

El-Bawab, T.S., Shin, J.-D.  
Optical packet switching in core networks: Between vision and reality  
(2002) IEEE Communications Magazine, 40 (9), pp. 60-65. Cited 73 times.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-0036735961&partnerID=40>  
DOCUMENT TYPE: Article  
SOURCE: Scopus

Bintjas, C., Yiannopoulos, K., Pleros, N., Theophilopoulos, G., Kalyvas, M., Avramopoulos, H., Guekos, G.  
Clock recovery circuit for optical packets  
(2002) IEEE Photonics Technology Letters, 14 (9), pp. 1363-1365. Cited 48 times.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-0036741398&partnerID=40>  
DOCUMENT TYPE: Article  
SOURCE: Scopus

Jamro, M.Y., Senior, J.M., Leeson, M.S., Murtaza, G.  
Chirp in a wavelength converter based on a symmetrical-MZI employing SOAs  
(2002) Optics Communications, 209 (4-6), pp. 321-328.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-0037103245&partnerID=40>  
DOCUMENT TYPE: Article

SOURCE: Scopus

Theophilopoulos, G., Kalyvas, M., Bintjas, C., Pleros, N., Yiannopoulos, K., Stavdas, A., Avramopoulos, H., Guekos, G. Optically addressable 2 × 2 exchange/bypass packet switch (2002) IEEE Photonics Technology Letters, 14 (7), pp. 998-1000. Cited 16 times.

<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-0036648995&partnerID=40>

DOCUMENT TYPE: Article

SOURCE: Scopus

Sun, J.

Relaxation of facet reflection restrictions in XGM wavelength converters

(2002) Optics Communications, 206 (1-3), pp. 67-75. Cited 4 times.

<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-0037093150&partnerID=40>

DOCUMENT TYPE: Article

SOURCE: Scopus

Um, T.W., Choi, J.K., Kim, Y.A., Lee, H.H., Jung, H.W., Jong, S.G. Signaling and control procedures using generalized MPLS protocol for IP over an optical network

(2002) ETRI Journal, 24 (2), pp. 69-80. Cited 6 times.

<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-0036537978&partnerID=40>

DOCUMENT TYPE: Article

SOURCE: Scopus

Wang, T.-S.

Architectural evolution and principles of optical terabit packet switches (OTPS)

(2002) Computer Communications, 25 (6), pp. 557-576. Cited 1 time.

<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-0036532776&partnerID=40>

DOCUMENT TYPE: Article

SOURCE: Scopus

Deti, A., Eramo, V., Listanti, M.

Performance evaluation of a new technique for IP support in a WDM optical network: Optical composite burst switching (OCBS)

(2002) Journal of Lightwave Technology, 20 (2), pp. 154-165. Cited 85 times.

<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-0036474077&partnerID=40>

DOCUMENT TYPE: Article

SOURCE: Scopus

Yi, L., Ghafouri-Shiraz, H.

Sharing resources for contention resolution in optical packet switch

(2002) Proceedings of SPIE - The International Society for Optical Engineering, 4907, pp. 268-273.

<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-0036456935&partnerID=40>

DOCUMENT TYPE: Conference Paper

SOURCE: Scopus

Deti, A., Eramo, V., Listanti, M.  
Optical Burst Switching with Burst Drop(OBS/BD): An easy OBS  
improvement  
(2002) IEEE International Conference on Communications, 5, pp. 2687-  
2691. Cited 9 times.  
[http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-  
0036283363&partnerID=40](http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-0036283363&partnerID=40)  
DOCUMENT TYPE: Conference Paper  
SOURCE: Scopus

Horiuchi, Y., Suzuki, M.  
Ultra-robust optical routing by digitally encoded SCM label  
(2002) Conference on Optical Fiber Communication, Technical Digest  
Series, 70, pp. 146-148.  
[http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-  
0036442538&partnerID=40](http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-0036442538&partnerID=40)  
DOCUMENT TYPE: Conference Paper  
SOURCE: Scopus

Park, D.-H., Yoo, M.  
A comparative study on the burst assemble schemes for optical burst  
switched networks  
(2002) Proceedings of SPIE - The International Society for Optical  
Engineering, 4910, pp. 266-274. Cited 3 times.  
[http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-  
0036458618&partnerID=40](http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-0036458618&partnerID=40)  
DOCUMENT TYPE: Conference Paper  
SOURCE: Scopus

Shahkooh, S.A., Chai, Y.J., Penty, R.V., White, I.H.  
Regenerative optical routing using a combined sampled-grating DBR laser  
and 16 × 16 Arrayed waveguide grating  
(2002) Pacific Rim Conference on Lasers and Electro-Optics, CLEO -  
Technical Digest, pp. 538-539.  
[http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-  
0036455248&partnerID=40](http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-0036455248&partnerID=40)  
DOCUMENT TYPE: Conference Paper  
SOURCE: Scopus

Bjørnstad, S., Stol, N., Hjelme, D.R.  
Quality of service in optical packet switched DWDM transport networks  
(2002) Proceedings of SPIE - The International Society for Optical  
Engineering, 4910, pp. 63-74. Cited 7 times.  
[http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-  
2942742971&partnerID=40](http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-2942742971&partnerID=40)  
DOCUMENT TYPE: Conference Paper  
SOURCE: Scopus

Horiuchi, Y., Suzuki, M.  
Optical label switch routing on wide-scale optical network using  
digitally encoded SCM label  
(2001) Electronics Letters, 37 (25), pp. 1542-1543. Cited 1 time.  
[http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-  
0035818803&partnerID=40](http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-0035818803&partnerID=40)  
DOCUMENT TYPE: Article  
SOURCE: Scopus

Horiuchi, Y., Suzuki, M.  
Demonstration of optical label switch routing on wide-scale optical network using digitally encoded SCM label  
(2001) European Conference on Optical Communication, ECOC, 4, pp. 610-611.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-0035741311&partnerID=40>  
DOCUMENT TYPE: Conference Paper  
SOURCE: Scopus

Callegati, F.  
Approximate Modeling of Optical Buffers for Variable Length Packets  
(2001) Photonic Network Communications, 3 (4), pp. 383-390. Cited 16 times.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-0035603973&partnerID=40>  
DOCUMENT TYPE: Article  
SOURCE: Scopus

Wu, K., Zeng, Q.  
Statistical multiplexing in optical flow switching networks  
(2001) Proceedings of SPIE - The International Society for Optical Engineering, 4585, pp. 192-197.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-0035779234&partnerID=40>  
DOCUMENT TYPE: Conference Paper  
SOURCE: Scopus

Mutafungwa, E.  
Circulating loop simulations for transmission performance comparison of various node architectures  
(2001) Journal of Optics A: Pure and Applied Optics, 3 (4), pp. 255-261. Cited 1 time.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-0035392229&partnerID=40>  
DOCUMENT TYPE: Article  
SOURCE: Scopus

Murata, M., Kitayama, K.-I.  
A perspective on photonic multiprotocol label switching  
(2001) IEEE Network, 15 (4), pp. 56-63. Cited 30 times.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-0035388577&partnerID=40>  
DOCUMENT TYPE: Review  
SOURCE: Scopus

Harai, H., Kubota, F.  
A study on photonic network architecture  
(2001) Journal of the Communications Research Laboratory, 48 (2), pp. 9-21.  
<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-0035381925&partnerID=40>  
DOCUMENT TYPE: Article  
SOURCE: Scopus

Xu, R., Gong, Q., Ye, P.

A novel IP with MPLS over WDM-based broad-band wavelength switched IP network

(2001) *Journal of Lightwave Technology*, 19 (5), pp. 596-602. Cited 10 times.

<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-0035333618&partnerID=40>

DOCUMENT TYPE: Article

SOURCE: Scopus

Reale, A., Di Carlo, A., Lugli, P.

Gain dynamics in traveling-wave semiconductor optical amplifiers

(2001) *IEEE Journal on Selected Topics in Quantum Electronics*, 7 (2), pp. 293-299. Cited 16 times.

<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-0035263979&partnerID=40>

DOCUMENT TYPE: Article

SOURCE: Scopus

Yao, S., Ben Yoo, S.J., Mukherjee, B., Dixit, S.

All-optical packet switching for metropolitan area networks:

Opportunities and challenges

(2001) *IEEE Communications Magazine*, 39 (3), pp. 142-148. Cited 71 times.

<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-0035278984&partnerID=40>

DOCUMENT TYPE: Article

SOURCE: Scopus

Callegati, F., Cerroni, W.

Wavelength allocation algorithms in optical buffers

(2001) *IEEE International Conference on Communications*, 2, pp. 499-503. Cited 6 times.

<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-0034873807&partnerID=40>

DOCUMENT TYPE: Conference Paper

SOURCE: Scopus

Xu, L., Perros, H.G., Rouskas, G.

Techniques for optical packet switching and optical burst switching

(2001) *IEEE Communications Magazine*, 39 (1), pp. 136-142. Cited 195 times.

<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-0035105411&partnerID=40>

DOCUMENT TYPE: Article

SOURCE: Scopus

Chin, A., Franzen, D.K., Hunter, I., Andonovic

Synchronisation schemes for optical networks

(2000) *IEEE Proceedings: Optoelectronics*, 147 (6), pp. 423-427. Cited 1 time.

<http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-0034466710&partnerID=40>

DOCUMENT TYPE: Article

SOURCE: Scopus

Eramo, V., Listanti, M.

Dimensioning of the Wavelength Converters in a WDM Optical Packet Switch

(2000) Photonic Network Communications, 2 (1), pp. 73-84. Cited 1 time.

[http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-](http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-0034382951&partnerID=40)

0034382951&partnerID=40

DOCUMENT TYPE: Article

SOURCE: Scopus

Eramo, V., Listanti, M.

Packet loss in a bufferless optical WDM switch employing shared tunable wavelength converters

(2000) Journal of Lightwave Technology, 18 (12), pp. 1818-1833. Cited 56 times.

[http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-](http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-0034453647&partnerID=40)

0034453647&partnerID=40

DOCUMENT TYPE: Article

SOURCE: Scopus

Eramo, V., Listanti, M.

Wavelength converter sharing in a WDM optical packet switch: dimensioning and performance issues

(2000) Computer Networks, 32 (5), pp. 633-651. Cited 7 times.

[http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-](http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-0033686774&partnerID=40)

0033686774&partnerID=40

DOCUMENT TYPE: Article

SOURCE: Scopus

Shun, Y., Mukherjee, B., Dixit, S.

Advances in photonic packet switching: an overview

(2000) IEEE Communications Magazine, 38 (2), pp. 84-94. Cited 292 times.

[http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-](http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-0141691485&partnerID=40)

0141691485&partnerID=40

DOCUMENT TYPE: Article

SOURCE: Scopus

Cotter, D., Manning, R.J., Blow, K.J., Ellis, A.D., Kelly, A.E., Nisset, D., Phillips, I.D., Poustie, A.J., Rogers, D.C.

Nonlinear optics for high-speed digital information processing

(1999) Science, 286 (5444), pp. 1523-1528. Cited 119 times.

[http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-](http://www.scopus.com/scopus/inward/record.url?eid=2-s2.0-0033584904&partnerID=40)

0033584904&partnerID=40

DOCUMENT TYPE: Review

SOURCE: Scopus